



- Div. of Chemi-Trol Chemical Co.
Fremont, Ohio 43420 U.S.A.

PRICE LIST #96-J

Effective Date: April 15, 1996
Refer to Catalog #9500 and Supplement #95-1

Supersedes Form #95-J Dated May 26, 1995,
#95-J-S1 Dated July 28, 1995 and
#95-1J Dated October 26, 1995

U.S. SUGGESTED JOBBER PRICES

Note: Unless otherwise specified, prices listed are for one of each Part Number.

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
6	Rear Main Seal Installer Kit	12.25	18.85	28	43	Tire Valve & Car Air-Cond. Tool	3.12	4.80	71
6-1	Installing Tool	9.52	14.65		45	Tire Valve Repair Tool	1.14	1.75	71
6-2	Extractor Tool	2.89	4.45		46	E-Z Out Tire Valve Tool	1.37	2.10	71
7	Rear Main Seal Installer Kit	18.59	28.60	29	47	Tire Deflator - Core Remover	1.30	2.00	72
7-01	Installing Tool	15.28	23.50		50	Fender Cover	11.64	17.90	100
7-02	Extractor Tool	0.85	1.30		51	Vacuum Hose Plugs & Caps 28 pcs.	17.88	27.50	28
7-03	Large Funnel	1.89	2.90		53	Upholstery Clip Remover	5.92	9.10	77
7-04	Small Funnel	1.89	2.90		# 54	Spark Catcher	1.92	2.95	13
7-05	Packing Pouch	2.47	3.80		55	Engine Compression Tester	15.21	23.40	25
7-06	Trimming Knife	2.41	3.70		55-1	Rubber Cone	1.04	1.60	
10	Timing Gear Puller	15.89	24.45	34,117	55-2	Valve Core	0.39	0.60	
10-1	Cross Arm	9.23	14.20		55-3	Lens Only	0.49	0.75	
10-2	Center/Forcing Screw	6.14	9.45		55-4	Stem Only	3.09	4.75	
10-3	Side Screw (1)	0.68	1.05		55-5	Gauge	11.51	17.70	
14	Oil Filter Wrench - Heavy Duty	5.10	7.85	45	56	Comp. Test Kit w/Adapters	64.22	98.80	25
15	Oil Filter Wrench - Economy	4.10	6.30	45	56-1	Rubber Cone	0.75	1.15	
18	Rocker Arm Oil Deflectors	4.91	7.55	30	56-2	Long Straight Adapter	11.18	17.20	
18-1	Deflector (1)	0.26	0.40		56-3	Long Curved Adapter	11.18	17.20	
19	Stud Remover, Capacity to 3/4"	18.98	29.20	119	56-4	Short Adapter w/Hose	25.09	38.60	
19-1	Body	10.99	16.90		56-5	Gauge w/Coupler	40.82	62.80	
19-2	Roller Assembly	6.18	9.50		56-6	Valve Core	0.75	1.15	
19-3	Stud	8.00	12.30		59	Brake Spring Plier	12.71	19.55	48
20	Mirror, 1 1/4" Round, 4 1/2" - 18	5.10	7.85	92	60	6" Rule w/Pocket Clip, Stain. Stl.	2.18	3.35	95
20-1	Mirror 1 1/4" Round w/Backing	1.95	3.00		61	Remote Starter Switch	9.78	15.05	10
21	2 In 1 Inner Tie Rod Tool	28.08	43.20	68	64	High Energy Ignition Tester	4.94	7.60	14
22	Tie Rod & Shock Link Puller	15.76	24.25	66	66	Spark Plug Firing Indicator	5.33	8.20	13
23	Mirror 1" Round, 6" Handle	4.32	6.65	92	66-01	Bulb for No. 66 (2 each)	2.60	4.00	
23-1	Mirror - 1" Round w/Backing	1.95	3.00		67	Circuit Tester, Power On	5.20	8.00	10
24	Mirror 1" X 2" Oval, 6" Handle	4.49	6.90	92	67-01	Bulb for 67 & 70 (2 ea. skinpack)	2.44	3.75	10,11
24-1	Mirror - 1" x 2" w/Backing	1.95	3.00		68	Continuity Tester	4.88	7.50	11
25	Mirror 2" Round Telescoping	5.17	7.95	92	68-01	Bulb for No. 68 (2 ea. Skinpacked)	2.41	3.70	11
25-08	2" Mirror only	0.68	1.05		69	Short Circuit Tester	18.72	28.80	12
25-1	Mirror - 2" Round W/Backing	2.24	3.45		69-1	Meter	11.41	17.55	
27	Mirror 2 X 3 1/2, Telescopes 6-12"	5.59	8.60	92	69-2	Detector w/Test Leads	9.04	13.90	
27-1	Mirror - 2" x 3 1/2"	4.45	6.85		69-3	Plastic Case	1.66	2.55	
28	Pilot Bearing Puller	33.64	51.75	118	70	Heavy Duty Circuit Tester 6-24 Volt	8.09	12.45	11
28-1	Center Rod Assembly	11.86	18.25		71	Alt. Gen.-Starter Current Ind.	10.27	15.80	12
28-2	Body	8.22	12.65		NEW 72	Audible/Visual Circuit Tester	11.54	17.75	
28-3	Jaw Screw Nut	0.20	0.30		NEW 73	Computer Circuit Tester 21ma-3-15V	8.87	13.65	11
28-4	Hammer	14.01	21.55		74	Auto Computer Memory Unit	11.57	17.80	13
28-5	Jaw Screw	0.52	0.80		75	Plastic Wire Piercing Guide	2.67	4.10	12
28-6	Reg. Jaw 1/2" x 1 1/2" (1)	5.75	8.85		76	Fuel Pump Vac. & Pres. Tester	12.45	19.15	25
28-6A	Small Jaw 3/8" X 1 3/8" (1)	7.12	10.95	118	76-5	Gauge	11.80	18.15	
29	Clutch Aligning Tool Set	14.69	22.60	59	# 90	Ratchet Wrench 1/4 - 5/16	7.18	11.05	114
29-1	Handle	3.77	5.80		# 91	Ratchet Wrench 3/8 - 7/16	7.77	11.95	114
29-2	Pilot Only	2.44	3.75		# 92	Ratchet Wrench 1/2 - 9/16	9.26	14.25	114
29-3	Adapter .561 - .590	1.11	1.70		# 93	Ratchet Wrench 5/8 - 11/16	11.54	17.75	114
29-4	Adapter .614 - .624	1.11	1.70		# 94	Ratchet Wrench 5/8 - 3/4	12.38	19.05	114
29-5	Adapter .668 - .718	1.24	1.90		# 95	Ratchet Wrench 11/16 - 13/16	16.22	24.95	114
29-6	Adapter .749 - .787	1.27	1.95		# 96	Ratchet Wrench 3/4 - 7/8	13.49	20.75	114
29-7	Adapter .812 - .874	1.37	2.10		# 97	Ratchet Wrench 13/16 - 15/16	13.55	20.85	114
29-8	Adapter .984 - 1.180	1.72	2.65		# 98	Ratchet Wrench Set (3 Pieces)	26.16	40.25	114
30	Metric Clutch Aligning Set	11.51	17.70	59	# 99	Ratchet Wrench Set (5 Pieces)	46.25	71.15	114
30-1	Handle	4.45	6.85		# 100	Ratchet Wrench Set (7 Pieces)	69.29	106.60	114
30-2	Pilot	3.80	5.85		101	Fuel Tank Sender Wr. 84 - cur. FD	22.72	34.95	13
30-3	Adapter - 15.8 mm	1.27	1.95		NEW 102	Fuel Tank Sender Wr. 74-84 Ford	18.49	28.45	13
30-4	Adapter - 12 mm	1.27	1.95		108	Triple Square Set 6,8,10,12mm	11.02	16.95	
31	Pilot Bearing Puller	30.52	46.95	119	110	1/4" Socket Holder	2.76	4.25	100
31-1	Yoke	9.23	14.20		110-1	1/4" Socket Clips (box 100)	6.08	9.35	
31-2	Body	8.26	12.70		111	3/8" Socket Holder	2.73	4.20	100
31-3	Center Screw w/Handle	4.75	7.30		111-1	3/8" Socket Clips (Box 100)	6.37	9.80	110
31-4	Retaining Handle	1.63	2.50		112	1/2" Socket Holder	2.80	4.30	100
31-5	Jaw Screw	0.52	0.80		112-1	1/2" Socket Clips (Box 100)	6.57	10.10	
31-6	Regular Jaw 1/2" x 1 1/4" (1)	5.75	8.85		113	Socket Hld. Set 1/4, 3/8, 1/2	7.77	11.95	100
31-6A	Small Jaw (1), 3/8" X 1 3/8"	6.79	10.45	119	114	Hex Bit Hold. 1/4 X 1/4 Dr.	1.56	2.40	106,107
31-7	Pressure Nut	0.65	1.00		114-07	T7 TORX Bit 1/4 Hex Dr.	1.82	2.80	106
31-8	Washer	0.42	0.65		114-09	T9 TORX Bit 1/4 Hex Dr.	1.82	2.80	106
32	Hydraulic Valve Lifter Tool	13.33	20.50	29	114-10	T10 TORX Bit 1/4 Hex Dr.	1.85	2.85	106
33	5" Rubber Sanding Block	4.19	6.45	84	114-15	T15 TORX Bit 1/4 Hex Dr.	1.85	2.85	106
34	Door Panel Remover	7.05	10.85	76	114-20	T20 TORX Bit 1/4 Hex Dr.	1.85	2.85	106
35	Door Handle Clip Remover Pliers	5.30	8.15	76	114-25	T25 TORX Bit 1/4 Hex Dr.	1.85	2.85	106
37	Door Handle Clip Remover	3.27	5.03	76	114-27	T27 TORX Bit 1/4 Hex Dr.	1.85	2.85	106
39	Window Molding Removal Tool	7.09	10.90	76	114-30	T30 TORX Bit 1/4 Hex Dr.	1.85	2.85	106
40	Tire Gauge	3.15	4.85	73	114-8	T8 TORX Bit 1/4 Hex Dr.	1.85	2.85	106
41	Tire Valve Stem Puller	4.13	6.35	71	115	TORX Bit Set w/Driver	14.20	21.85	107

#Available Until Current Stock Depleted

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
115-1	Bit Hold. 5/16 X 3/8 Dr.	2.37	3.65	104,107,	181	Hand Scratch Brush, 4 x 16 Rows	2.93	4.50	83
115-2	T45 TORX Bit 5/16 Hex	2.15	3.30	107	182	Universal Tie Rod End Tool	44.17	67.95	67
115-3	T50 TORX Bit 5/16 Hex	2.15	3.30	107	183	Nut Splitter	18.01	27.70	97
115-4	Int. Wrench Bit 6mm Ribbe	2.15	3.30	107	183-1	Body	12.32	18.95	
115-5	T30 TORX Bit 5/16 Hex	2.15	3.30	107	183-2	Screw Assembly	6.37	9.80	
115-6	T40 TORX Bit 5/16 Hex	2.15	3.30	107	183-3	Cutter	4.36	6.70	
115-7	T55 TORX Bit 5/16 Hex	2.15	3.30	107	184	Belt Tension Wr. 86-cur 1.9 L	13.49	20.75	36
116	Metric Internal Wrench Set	7.15	11.00	110	185	Belt Tension Wr. 81-cur 1.6 L	12.64	19.45	36
116-2	6mm Internal Bit, 7/16" Hex Dr.	2.73	4.20	110	186	Pitman Arm Puller	23.24	35.75	67,120
116-3	8mm Internal Bit, 7/16" Hex Dr.	2.76	4.25	110	186-1	Yoke Only	25.68	39.50	
117	Metric Internal Wrench Set	12.38	19.05	110	186-2	Center/Forcing Screw	5.04	7.75	
117-1	1/2" Drive, Tool Holder	4.65	7.15	110	187	Steering Wheel Puller	16.32	25.10	116
117-2	10 mm Internal Wrench Bit	4.19	6.45	110	187-1	Cross Arm	7.18	11.05	
117-3	12 mm Internal Wrench Bit	4.19	6.45	110	187-10	(2) Bolts M8 x 1.25 x 80 mm	0.26	0.40	
118	Metric Hex Internal Wrench Set	11.70	18.00	111	187-11	(2) Bolts 1/4" x 28 x 3"	0.39	0.60	
118-2	Bit - 4mm, 5/16" Hex Dr.	2.08	3.20	111	187-2	Center/Forcing Screw	1.95	3.00	
118-3	Bit - 5mm, 5/16" Hex Dr.	2.08	3.20	111	187-3	Swivel & Spring	1.63	2.50	
118-4	Bit - 6mm, 5/16" Hex Dr.	2.08	3.20	111	187-4	(2) Bolts 5/16" x 18 x 4 1/2"	0.85	1.30	
118-5	Bit - 7mm, 5/16" Hex Dr.	2.08	3.20	111	187-5	(2) Bolts 5/16" x 24 x 3 1/2"	0.62	0.95	
118-6	Bit - 8mm, 5/16" Hex Dr.	2.08	3.20	111	187-6	(2) Side Bolts 3/8" x 16 x 4"	0.94	1.45	
119	Metric Hex Int. Wrench Set	9.72	14.95	111	187-7	All Bolts in Pouch	4.78	7.35	
119-1	Bit Holder 7/16 X 3/8 Dr.	3.38	5.20	111	188	Fan Clutch Wrench Set	38.22	58.80	36
119-2	Bit 10mm 7/16 X 1-1/4" Long	2.57	3.95	111	189	Harmonic Balancer Puller	15.80	24.30	33,117
119-3	Bit 10mm 7/16 X 4-5/8" Long	4.26	6.55	111	189-1	Yoke Only	9.59	14.75	
120	V/W Drain Plug Socket 17 MM	3.61	5.55	28	189-2	Center/Forcing Screw	2.28	3.50	
121	Hex Bit Holder 5/16 X 1/2 Dr.	4.68	7.20	110	189-3	Swivel & Spring	0.94	1.45	
123	Dual Fuse Puller	1.66	2.55	12	189-4	(3) Bolts 5/16" x 18 x 2"	0.55	0.85	
124	GM Code Access Key	2.02	3.10	13	189-5	(3) Side Bolts 3/8" x 24 x 2"	0.85	1.30	
126	Brass Hammer, 2 Lb. Head	25.12	38.65	98	189-6	(2) Side Bolts 3/8" x 16 x 4"	0.94	1.45	
126-1	Handle w/Wedges	3.97	6.10		189-7	All Bolts in Pouch	3.41	5.25	
127	Wheel Cover Remover & Installer	16.41	25.25	72	189-9	(3) Bolts M8 x 1.25 x 80 mm	0.46	0.70	
127-1	Rubber Tip	4.03	6.20		190	Ball Joint Separator	13.78	21.20	67
128	Ford Headlight Adjusting Tool	3.02	4.65	77	191	Pitman Arm Wedge	12.55	19.30	67
134	Puller, 3-Jaw, 4" Adjustable	27.01	41.55	122	192	Pulley Puller	37.60	57.85	34,117
134-1	Yoke Only	9.26	14.25		192-1	Yoke Only	11.96	18.40	
134-2	Center/Forcing Screw	3.90	6.00		192-2	Center/Forcing Screw	11.77	18.10	
134-3	Link (1)	1.85	2.85		192-3	Swivel & Spring	2.67	4.10	
134-4	Link Bolt & Nut	1.82	2.80		192-4	(1) Jaw Only	11.28	17.35	
134-5	Jaw (1)	6.05	9.30		192-5	(1) Lock Screw	1.98	3.05	
135	Ford Radio Remover Tool	13.42	20.65	100	193	Pulley Installer - Ford	24.86	38.25	34
136	Spk Plg Thread Chaser 14mm 5/8 dr.	4.94	7.60	15	193-1	Housing Assembly	19.86	30.55	
137	Extended Spk Plug Socket, 5/8 Hex	7.15	11.00	15	193-2	Center Screw	6.24	9.60	
138	GM Spark Plug Shield Remover	22.49	34.60	14	193-3	Pilot - Ford	2.54	3.90	
139	Headlight Adjusting Spring Hook	4.10	6.30	77	193-4	Pilot - Chrysler	3.22	4.95	
140	Stethoscope	11.99	18.45	35	194	Pitman Arm Puller - Compacts	22.07	33.95	67,120
141	Stethoscope Extension - 12"	1.85	2.85	35	194-1	Yoke Only	23.30	35.85	
142	Spark Plug Boot Puller	2.57	3.95	14	194-2	Center/Forcing Screw	5.04	7.75	
143	Spark Plug Plier	6.60	10.15	14	195	Pwr Str Pump & Alt Pulley Inst/Rem	58.47	89.95	34
144	Spark Plug Thread Chaser	3.54	5.45	15	198	Chrysler Belt Tensioner 3.3 Liter	21.42	32.95	37
145	Spark Plug Boot Plier	10.50	16.15	14	199	Ford Belt Tensioner 3.8 Liter V-6	18.49	28.45	36
146	Sp. Pl. Thread Chaser 10mm	3.51	5.40	15	200	Ball Joint Service Kit	148.43	228.35	68
147	Snap Ring Plier Set	17.52	26.95	88	200-01	Reciever Tube 3.0" OD, 2.75" ID	14.24	21.90	
148	Internal Snap Ring Plier	7.93	12.20	88	200-02	Reciever Tube 2.5" OD, 2.25" ID	12.25	18.85	
148-1	90 deg Angle Tip .035 Dia. Pr.	1.56	2.40		200-03	Reciever Tube 2.0" OD, 1.75" ID	10.63	16.35	
148-2	45 deg Angle Tip .045 Dia. Pr.	1.53	2.35		200-04	Removing Adapter	33.57	51.65	
148-3	15 Degree Angle Tip .045 Dia. Pair	1.59	2.45		200-05	Installation Adapter	25.38	39.05	
148-4	15 Degree Angle Tip .060 Dia. Pair	1.59	2.45		200-06	Forcing Screw	5.69	8.75	
148-5	Set of all Tips (above) in Box	3.09	4.75	88	200-07	Steel Ball 5/8" Diameter	1.40	2.15	
149	External Snap Ring Plier	7.93	12.20	88	200-08	O-Ring 13/16 X 5/8 X 3/32 - 114	0.26	0.40	
151	Midget Tube Cutter (1/8"- 5/8")	5.95	9.15	86	200-09	Plug	10.66	16.40	
151-1	Cutter Wheel	2.18	3.35		200-10	C-Frame	112.58	173.20	
152	Tube Bender, 1/8 to 1/4	3.22	4.95	86	203	4WD Ball Joint Service Kit	83.17	127.95	68
153	Metric Double Flaring Tool	33.77	51.95	87	203-01	Installing Cup for No. 203	32.92	50.65	
153-1	4.75 mm Adapter	2.73	4.20		203-02	Receiving Cup for No. 203 - Large	38.32	58.95	
153-2	5 mm Adapter	2.73	4.20		203-03	Receiving Cup for No. 203 - Small	17.88	27.50	
153-3	6 mm Adapter	2.73	4.20		217	Feeler Gauge - 15 Blade w/Rule	2.89	4.45	16
153-4	8 mm Adapter	2.73	4.20		218	Master Feeler Gauge - 32 Blades	4.68	7.20	16
153-5	10 mm Adapter	4.55	7.00		219	Feeler Gauge - 9 Blade W/Ruler	2.11	3.25	16
153-6	Bar Assembly	18.59	28.60		220	Combination Tune-Up Feeler Gauge	4.91	7.55	16
154	O.D. Tube Bender, 1/8 - 1/2"	6.76	10.40	86	222	Go-No-Go Feeler Gauge, 22 Sizes	6.79	10.45	17
NEW 155	Spark Plug Boot Puller - Straight	10.43	16.05		223	Spark Plug Gauge - 7 Sizes	1.43	2.20	18
159	Screw Starter 5", Metal Handle	5.10	7.85	103	225	Magnet Pick-up, 9" Long	4.71	7.25	93
160	Tubing Bender (3/16, 1/4, 5/16, 3/8")	7.64	11.75	86	226	Magnet Pick-up, Adj. 16"-26"	8.19	12.60	93
162	Flaring Tool - 3/16" - 5/8"	19.96	30.70	87	227	Tappet and Ignition Feeler Gauge	3.15	4.85	18
162-01	Bar Assembly	15.05	23.15		230	Feeler Gauge, 26 Blades	4.23	6.50	16
162-02	Yoke Assembly	11.08	17.05		233	Tappet Feeler Gauge - 9 Blades	2.80	4.30	17
163	Double Flaring Tool 3/16"-1/2"	29.22	44.95	87	234	High Energy Spark Plug Gauge	2.73	4.20	18
163-01	3/16" Adapter	1.95	3.00		235	Hub Puller - Universal	140.04	215.45	119
163-02	1/4" Adapter	1.95	3.00		235-01	Forcing Screw Only	47.48	73.05	
163-03	5/16" Adapter	1.95	3.00		235-02	Tip & Pin for Forcing Screw	15.08	23.20	
163-04	3/8" Adapter	2.76	4.25		235-03	(1) Jaw Only	19.96	30.70	
163-05	1/2" Adapter	2.93	4.50		235-04	Handle Only	18.33	28.20	
163-06	Bar Assembly	17.91	27.55		235-05	Wheel & Nut Assembly	24.41	37.55	
163-07	Yoke Assembly	12.45	19.15		236	HD Pick Up Tool - Lifts 1 1/2 Lbs.	18.17	27.95	93
163-17	Box	4.29	6.60		238	Test Lead Kit - 2-36"	3.25	5.00	10
165	Screw Starter 5" w/magnet	6.66	10.25	103	239	High Energy Spark Plug Gauge	1.40	2.15	18
168	Phillips Screw Starter 5"	4.97	7.65	103	240	Puller, 2 Jaw, 4" Adjustable	19.11	29.40	121
169	Distributor Cleaning Brush	3.84	5.90	10	240-1	Yoke	4.75	7.30	
173	Wire Cup Brush, 2 1/2" Dia.	4.19	6.45	82	240-2	Center Screw	3.25	5.00	
174	Wire Wheel Brush 6" Standard	19.14	29.45	81	240-3	Link (1)	0.42	0.65	
176	Rotary Cleaning Brush, Crimp	3.74	5.75	82	240-4	Link Bolt & Nut	0.26	0.40	
177	Rotary Cleaning Brush, Spiral	4.78	7.35	82	240-5	Jaw Only (1)	5.01	7.70	
178	Hand Scratch Brush, 3 x 19 Rows	2.89	4.45	83	NEW 241	Alligator Clips - Small 4 Ea	2.11	3.25	
179	Hand Scratch Brush, 4 x 19 Rows	3.06	4.70	83	NEW 242	Alligator Clips - Large 2 Ea	1.30	2.00	
180	Minature Scratch Brush (2 each)	3.41	5.25	83	NEW 243	Carb Adjust Tool - 5 Tips	8.81	13.55	

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
246	Bleed-O-Matic Brake Bleeder	7.31	11.25	55	262-0	0 - 1/4" Stamp	2.73	4.20	99
247	Economy One-Man Brake Bleeder	2.89	4.45	55	262-1	1 - 1/4" Stamp	2.73	4.20	99
248	Slide Hammer Puller	72.12	110.95	118	262-2	2 - 1/4" Stamp	2.73	4.20	99
248-1	2-Way Head	12.25	18.85		262-3	3 - 1/4" Stamp	2.73	4.20	99
248-2	3-Way Head	14.50	22.30		262-4	4 - 1/4" Stamp	2.73	4.20	99
248-3	Cone Only	14.85	22.85		262-5	5 - 1/4" Stamp	2.73	4.20	99
248-4	Sliding Hammer	11.86	18.25		262-6	6 or 9 - 1/4" Stamp	2.73	4.20	99
248-5	(1) Reversible Jaw	8.09	12.45		262-7	7 - 1/4" Stamp	2.73	4.20	99
248-6	Nut & Bolt for (1) Jaw	0.72	1.10		262-8	8 - 1/4" Stamp	2.73	4.20	99
248-7	Handle & Shaft	19.27	29.65		262-	Dash - 1/4" Stamp	2.73	4.20	99
252	Taper Reamer 1/8"-1/2"	13.00	20.00	98	264	Nylon Parts Cleaning Brush	3.09	4.75	83
253	Taper Reamer 7/16"-1"	24.44	37.60	98	265	Economy Parts Cleaning Brush	3.28	5.05	84
254	Wheel Weight Plier	17.19	26.45	72	266	Standard Parts Cleaning Brush	3.58	5.50	84
255	Muffler And tailpipe Cutter	9.00	13.85	61	267	Brake Spring Plier	14.46	22.25	48
256	Metal & Tailpipe Cutter	6.57	10.10	61	268	Lock Ring & Snap Ring Plier	11.08	17.05	54,88
257	Tailpipe Expander 2-5/16" I.D.	20.83	32.05	62	269	Brake Spring Compressor	4.81	7.40	48
257-1	Center Screw	13.33	20.50		270	Brake Cylinder Clamps (1 pr.)	5.82	8.95	49
257-2	Expanding Segment	2.99	4.60		272	Chevrolet Brake Spoon	3.64	5.60	49
257-3	Threaded Cone	3.93	6.05		273	Brake Spoon (Except Chevy)	3.84	5.90	49
257-4	Non-threaded Cone	4.03	6.20		274	Deluxe One-Man Brake Bleeder	5.66	8.70	55
257-5	Rubber "O" Ring	1.04	1.60		275	Brake Bldr. Wrench 1/4"-3/8"	4.13	6.35	49
258	Tailpipe Expander 3-1/8" I.D.	34.03	52.35	62	276	Brake Bldr. Wrench 5/16"-3/8"	4.06	6.25	49
258-1	Center Screw	18.30	28.15		277	Ford Bk. Caliper Retainer Rmvl Tl.	11.77	18.10	54
258-2	Expanding Segment	6.05	9.30		278	Bendix Brake Adjuster	4.58	7.05	50
258-3	Threaded Cone	7.18	11.05		# 279	Bendix Brake Adjuster	4.91	7.55	50
258-4	Non-threaded Cone	6.05	9.30		280	Notched Brake Spoon	4.23	6.50	50
258-5	Rubber "O" Ring	1.30	2.00		281	Brake Resetting Gauge	25.32	38.95	59
259	Letter Stamp Set 3/16"	42.87	65.95	99	282	Grease Cap Plier	14.01	21.55	72
259-A	A - 3/16" Stamp	2.47	3.80	99	283	Magnet Pick-Up, 17" - 27 1/2"	13.72	21.10	93
259-B	B - 3/16" Stamp	2.47	3.80	99	285	Magnet Pick-Up 6" Pocket Clip	4.39	6.75	93
259-C	C - 3/16" Stamp	2.47	3.80	99	286	Magnet Pick-Up 18" Flex Shaft	7.80	12.00	94
259-D	D - 3/16" Stamp	2.47	3.80	99	287	Pocket Magnet Telescopes 5" - 18"	4.36	6.70	93
259-E	E - 3/16" Stamp	2.47	3.80	99	288	Ignition Feeler Gauge - 16 Blades	2.57	3.95	17
259-F	F - 3/16" Stamp	2.47	3.80	99	289	Brass Feeler Gauge .006-.016	1.69	2.60	17
259-G	G - 3/16" Stamp	2.47	3.80	99	290	Feeler Gauge - 25 Blade Metric	5.36	8.25	17
259-H	H - 3/16" Stamp	2.47	3.80	99	292	Brake Adjusting Tool - Imports	4.71	7.25	50
259-I	I - 3/16" Stamp	2.47	3.80	99	293	Brake Adjusting Tool - GM & Imports	3.64	5.60	50
259-J	J - 3/16" Stamp	2.47	3.80	99	294	Parking Brake Spring Compressor	9.07	13.95	48
259-K	K - 3/16" Stamp	2.47	3.80	99	295	Brake Spring Tool	4.88	7.50	51
259-L	L - 3/16" Stamp	2.47	3.80	99	295-1	Adj. Socket w/Pin (1)	2.57	3.95	
259-M	M - 3/16" Stamp	2.47	3.80	99	297	Oil Filter Pliers 2 3/4 - 3 1/4"	15.54	23.90	46
259-N	N - 3/16" Stamp	2.47	3.80	99	298	Oil Filter Pliers 3 1/8 - 3 5/8"	15.54	23.90	46
259-O	O - 3/16" Stamp	2.47	3.80	99	299	GM Rear Brake Cyl Clip Remover	6.34	9.75	54
259-P	P - 3/16" Stamp	2.47	3.80	99	NEW 301	Slip Joint OFW Pliers	23.76	36.55	
259-Q	Q - 3/16" Stamp	2.47	3.80	99	304	Drill Set - (13 Drills)	13.98	21.50	97
259-R	R - 3/16" Stamp	2.47	3.80	99	307	5/16" Pry Bar With Handle	8.16	12.55	91
259-S	S - 3/16" Stamp	2.47	3.80	99	308	3/8" Pry Bar With Handle	8.35	12.85	91
259-T	T - 3/16" Stamp	2.47	3.80	99	309	1/2" Pry Bar With Handle	9.17	14.10	91
259-U	U - 3/16" Stamp	2.47	3.80	99	310	Locknut Wrench 2-3/32" Hex	16.74	25.75	66
259-V	V - 3/16" Stamp	2.47	3.80	99	311	Locknut Wrench 2-1/4" Hex	17.39	26.75	66
259-W	W - 3/16" Stamp	2.47	3.80	99	312	Locknut Wrench 2-9/16" Hex/Round	18.04	27.76	66
259-X	X - 3/16" Stamp	2.47	3.80	99	313	Locknut Wrench 2-9/16" Hex	17.68	27.20	66
259-Y	Y - 3/16" Stamp	2.47	3.80	99	314	Locknut Wrench 3" Hex	18.30	28.15	66
259-Z	Z - 3/16" Stamp	2.47	3.80	99	315	Locknut Wrench 3-1/4" Octagon	18.69	28.75	66
259-&	Ampersand - 3/16" Stamp	2.47	3.80	99	316	Locknut Wrench 3-1/2" Hex	17.39	26.75	66
259-•	Period - 3/16" Stamp	2.47	3.80	99	317	Locknut Wrench 4-1/8" Hex	18.69	28.75	66
260	Letter Stamp Set 1/4"	50.67	77.95	99	318	Locknut Wrench 4-7/8" Octagon	30.52	46.95	66
260-A	A - 1/4" Stamp	2.73	4.20	99	319	Locknut Wrench 4" Hex	18.17	27.95	66
260-B	B - 1/4" Stamp	2.73	4.20	99	320	FW Bearing Locknut Wrench - GM	25.87	39.80	65
260-C	C - 1/4" Stamp	2.73	4.20	99	321	FW Bearing Locknut Wrench - FORD	28.31	43.55	65
260-D	D - 1/4" Stamp	2.73	4.20	99	322	Locknut Wrench 2 1/2" Hex	17.06	26.25	66
260-E	E - 1/4" Stamp	2.73	4.20	99	323	Locknut Wrench 3 7/8" Octagon	18.62	28.65	66
260-G	G - 1/4" Stamp	2.73	4.20	99	324	Locknut Wrench 3 1/4" Hex	18.88	29.05	66
260-H	H - 1/4" Stamp	2.73	4.20	99	325	Locknut Wrench 3 13/16" Octagon	20.15	31.00	66
260-I	I - 1/4" Stamp	2.73	4.20	99	326	Locknut Wrench 2 5/8" Hex	18.46	28.40	66
260-J	J - 1/4" Stamp	2.73	4.20	99	327	Locknut Wrench 2 7/8" Hex	18.46	28.40	66
260-K	K - 1/4" Stamp	2.73	4.20	99	328	Locknut Wrench 2 3/4" Hex	18.53	28.50	66
260-L	L - 1/4" Stamp	2.73	4.20	99	NEW 334	6 Pc Fold Up Screwdriver Set	5.62	8.65	
260-M	M - 1/4" Stamp	2.73	4.20	99	NEW 335	11 Pc Long Arm Hex Key Set, Inch	4.97	7.65	
260-N	N - 1/4" Stamp	2.73	4.20	99	NEW 336	9 Pc Long Arm Hex Key Set, Metric	5.53	8.50	
260-O	O - 1/4" Stamp	2.73	4.20	99	NEW 337	9 Pc Fold Up Hex Key Set .050-3/16	3.61	5.55	
260-P	P - 1/4" Stamp	2.73	4.20	99	NEW 338	7 Pc Fold Up Hex Key Set 1.5-6mm	4.00	6.15	
260-Q	Q - 1/4" Stamp	2.73	4.20	99	NEW 339	11 Pc Hex Key Set .050-1/4"	3.84	5.90	
260-R	R - 1/4" Stamp	2.73	4.20	99	340	Allen Wrench Set .050" - 3/8"	4.52	6.95	105
260-S	S - 1/4" Stamp	2.73	4.20	99	# 341	Metric Pocket Hex Key Set, 7 Pcs.	4.62	7.10	106
260-T	T - 1/4" Stamp	2.73	4.20	99	# 342	Pocket Allen Wr. Set .050-3/16"	3.71	5.70	106
260-U	U - 1/4" Stamp	2.73	4.20	99	# 343	Metric Hex Wrench Set, 4 pcs.	20.31	31.25	106
260-V	V - 1/4" Stamp	2.73	4.20	99	344	Metric Hex Wrench 12mm	2.73	4.20	106
260-W	W - 1/4" Stamp	2.73	4.20	99	345	Metric Hex Wrench 14mm	3.61	5.55	106
260-X	X - 1/4" Stamp	2.73	4.20	99	346	Metric Hex Wrench 17mm, VW	6.31	9.70	106
260-Y	Y - 1/4" Stamp	2.73	4.20	99	347	Metric Hex Wrench 19mm	8.81	13.55	106
260-Z	Z - 1/4" Stamp	2.73	4.20	99	349	All Purpose Awl, OAL 6"	3.22	4.95	78
260-•	Period - 1/4" Stamp	2.73	4.20	99	350	Carbon Scraper OAL 10"	5.30	8.15	95
260-&	Ampersand - 1/4" Stamp	2.73	4.20	99	351	All Purpose Awl, OAL 9"	3.22	4.95	79
261	Figure Stamp Set 3/16"	14.27	21.95	99	351-1	Replacement Awl	1.24	1.90	
261-0	0 - 3/16" Stamp	2.47	3.80	99	352	Cotter Pin Puller	6.01	9.25	96
261-1	1 - 3/16" Stamp	2.47	3.80	99	353	Putty Knife, Semi-Flex	2.28	3.50	77
261-2	2 - 3/16" Stamp	2.47	3.80	99	354	Putty Knife, Stiff Blade	3.19	4.90	77
261-3	3 - 3/16" Stamp	2.47	3.80	99	355	3" Putty Knife-Full Flex	4.55	7.00	77
261-4	4 - 3/16" Stamp	2.47	3.80	99	356	Utility Knife, 4 Positions	3.67	5.65	96
261-5	5 - 3/16" Stamp	2.47	3.80	99	356-1	Utility Knife Blades (5)	1.33	2.05	96
261-6	6 or 9 - 3/16" Stamp	2.47	3.80	99	357	Disk Brake & Small Engine Hone	10.14	15.60	53
261-7	7 - 3/16" Stamp	2.47	3.80	99	357-1	2" Rep. Stones (3) for No. 357	4.23	6.50	53
261-8	8 - 3/16" Stamp	2.47	3.80	99	357-2	Shaft Assembly w/Nut	5.40	8.30	
262	Figure Stamp Set 1/4"	17.52	26.95	99	357-4	Spring	0.85	1.30	

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
357-5	Collar	1.04	1.60		397	Flex Hone Std. Block Cyl. 4-5/8 in.	45.96	70.70	37,52
357-6	Adapter Assembly w/Legs	4.03	6.20		399	Pocket Tire Gauge, Dual Foot	4.45	6.85	73
357-8	Pad Clips	0.16	0.25		400	Tire Gauge, 10-150 Lbs., Dual Foot	9.91	15.25	73
358	Disc Brake Caliper Hone	7.48	11.50	53	401	Dual Foot Air Chuck	4.19	6.45	73
358-1	3/4" Replacement Stones (3)	2.96	4.55	53	402	Single Face Air Chuck	1.63	2.50	73
358-3	Shaft Assembly w/Nut	4.71	7.25		403	Metal Water Hose Trigger Nozzle	10.76	16.55	97
358-5	Spring	0.85	1.30		404	Safety Blow Gun	8.03	12.35	73
358-6	Collar	1.04	1.60		405	Blow Gun w/ 4" Nozzle	7.51	11.55	74
358-7	Adapter Assembly w/Legs	4.03	6.20		406	Hacksaw Blade Holder w/Blade	1.79	2.75	79
358-8	Pad Clips	0.16	0.25		407	Premium Hack Saw	17.32	26.65	79
360	Engine Cylinder Hone	18.85	29.00	38	409	Hack Saw - Economy	5.46	8.40	79
360-02	Shaft Assembly w/Nut	10.60	16.30		410	Heavy Duty Hack Saw	14.50	22.30	79
360-04	Spring	1.04	1.60		411	Blow Gun w/Rubber Tip	8.45	13.00	74
360-05	Leg	2.67	4.10		413	Metric Rethreading Die Kit, 5 Pcs.	6.44	9.90	103
360-06	Collar	2.02	3.10		413-01	6 X 1mm Die	1.07	1.65	
360-08	Pad Clips	0.16	0.25		413-02	7 X 1mm Die	1.11	1.70	
360-09	Adapter	3.41	5.25		413-03	8 X 1.25mm Die	1.17	1.80	
361	Medium Stones for No. 360 (3)	7.05	10.85	38	413-04	10 X 1.50mm Die	1.33	2.05	
361-01	Fine Grit Stones For 360 Hone (3)	7.12	10.95	38	413-05	12 X 1.75mm Die	1.40	2.15	
361-02	Coarse Grit Stones For 360 Hone (3)	7.02	10.80	38	414	Metric Thread File, 8 Sizes	7.05	10.85	101
362	Brake Cylinder Hone 3/4" - 2"	7.67	11.80	52	415	7 Pc. FWD Spindle Rethreading Kit	28.31	43.55	102
362-2	Shaft Assembly / w/Nut	4.68	7.20		417	Rethreading Die Kit U.S.S., 5 Pcs.	18.82	28.95	101
362-4	Spring	0.59	0.90		417-1	3/4"-10 NC-USS Die	1.56	2.40	
362-5	Collar	0.49	0.75		417-2	7/8"-9 NC-USS Die	3.35	5.15	
362-6	Adapter w/Legs	2.41	3.70		417-3	1"-8 NC-USS Die	3.64	5.60	
362-8	Pad Clips	0.13	0.20		417-4	1 1/8"-7 NC-USS Die	4.26	6.55	
363	Rep. Stones (3) for No. 362	2.93	4.50	52,53	417-5	1 1/4"-7 NC-USS Die	4.84	7.45	
363-01	Fine Grit Stones for No. 362 (3)	2.73	4.20	52,53	418	Rethreading Die Kit S.A.E., 5 Pcs.	18.82	28.95	102
363-02	Coarse Grit Stones for No. 362 (3)	2.73	4.20	52,53	418-1	3/4"-16 NF-SAE Die	1.46	2.25	
364	Ridge Reamer, 3"-5" Capacity	37.96	58.40	38	418-2	7/8"-14 NF-SAE Die	3.35	5.15	
364-01	Expansion Bolt	1.07	1.65		418-3	1"-14 NF-SAE Die	3.64	5.60	
364-02	Thread Protector	1.07	1.65		418-4	1 1/8"-12 NF-SAE Die	4.26	6.55	
364-03	Feed Screw & Top Plate	2.99	4.60		418-5	1 1/4"-12 NF-SAE Die	4.84	7.45	
364-04	Drive Nut	5.82	8.95		419	Piston Ring Compressor 2 1/8 - 5"	6.44	9.90	41
364-05	Cam Screw Assembly	6.14	9.45		420	Rethreading Die Kit U.S.S. - 7 Pc.	7.64	11.75	102
364-06	Feed Plate Screw w/Washer (1)	1.17	1.80		420-1	1/4"-20 NC-USS Die	0.75	1.15	102
364-07	Feed Plate (KH-209)	4.71	7.25		420-2	5/16"-18 NC-USS Die	0.75	1.15	102
364-08	Guide Plate (KH-208)	3.12	4.80		420-3	3/8"-16 NC-USS Die	0.75	1.15	102
364-10	Holding Spring	0.72	1.10		420-4	7/16"-14 NC-USS Die	0.94	1.45	102
364-11	Expansion Blades (3) (KH-206)	1.07	1.65		420-5	1/2"-13 NC-USS Die	1.04	1.60	102
364-12	Bottom Plate (KH-205)	5.33	8.20		420-6	9/16"-12 NC-USS Die	1.20	1.85	102
364-14	Cutter Blade Block	5.33	8.20		420-7	5/8"-11 NC-USS Die	1.30	2.00	102
364-15	Cutter Blade Pin	0.42	0.65		421	Rethreading Die Kit S.A.E. - 7 Pc.	7.05	10.85	102
364-16	Cutter Blade Spring	0.55	0.85		421-1	1/4"-28 NF-SAE Die	0.75	1.15	102
365	Carbide Cutter for No. 364	11.28	17.35	38	421-2	5/16"-24 NF-SAE Die	0.75	1.15	102
368	Ridge Reamer, 2 3/8" - 4 1/8"	31.69	48.75	38	421-3	3/8"-24 NF-SAE Die	0.75	1.15	102
368-1	Replacement Cutter Blade For 368	9.88	15.20	38	421-4	7/16"-20 NF-SAE Die	0.94	1.45	102
368-2	(1) Size Plate (2 SP)	5.07	7.80		421-5	1/2"-20 NF-SAE Die	1.04	1.60	102
368-3	(1) Size Plate (3 SP)	5.30	8.15		421-6	9/16"-18 NF-SAE Die	1.20	1.85	102
368-4	Body, Includes Rivet	4.75	7.30		421-7	5/8"-18 NF-SAE Die	1.30	2.00	102
368-5	Cutter Arm Only	7.96	12.25		422	Thread File, 8 Sizes	7.09	10.90	101
368-6	Cutter Blade Screw	2.63	4.05		423	Thread File, 8 Sizes	6.99	10.75	101
368-7	Adjusting Screw	3.35	5.15		425	Universal Thread File	5.04	7.75	101
368-8	(4) Size Plate Screws	3.45	5.30		428	Rethreading Die Kit U.S.S., 8 Pcs.	8.22	12.65	102
369	Brake Spring Compressor	4.16	6.40	48	428-1	1/4"-20 NC-USS Die	0.65	1.00	102
370	Nut Driver Set 3/16 - 1/2 (7 pc.)	21.26	32.70	111	428-2	5/16"-18 NC-USS Die	0.65	1.00	102
370-1	3/16" Nut Driver	3.54	5.45	111	428-3	3/8"-16 NC-USS Die	0.72	1.10	102
370-2	1/4" Nut Driver	3.54	5.45	111	428-4	7/16"-14 NC-USS Die	0.91	1.40	102
370-3	5/16" Nut Driver	3.54	5.45	111	428-5	1/2"-13 NC-USS Die	0.91	1.40	102
370-4	11/32" Nut Driver	3.54	5.45	111	428-6	9/16"-12 NC-USS Die	1.11	1.70	102
370-5	3/8" Nut Driver	3.54	5.45	111	428-7	5/8"-11 NC-USS Die	1.17	1.80	102
370-6	7/16" Nut Driver	3.67	5.65	111	428-8	3/4"-10 NC-USS Die	1.56	2.40	102
370-7	1/2" Nut Driver	3.67	5.65	111	429	Rethreading Die Kit S.A.E., 8 Pcs.	8.22	12.65	102
370-8	Pouch for 370	1.76	2.70		429-1	1/4"-28 NF-SAE Die	0.65	1.00	102
372	Socket "Wobbler", 3/8" Sq. Dr.	3.41	5.25	114	429-2	5/16"-24 NF-SAE Die	0.65	1.00	102
376	Flex Hone HD Block Cyl. 3 in.	49.53	76.20	37	429-3	3/8"-24 NF-SAE Die	0.72	1.10	102
377	Flex Hone HD Block Cyl 3-1/4 in.	51.55	79.30	37	429-4	7/16"-20 NF-SAE Die	0.91	1.40	102
378	Flex Hone HD Block Cyl. 3-1/2 in.	52.72	81.10	37	429-5	1/2"-20 NF-SAE Die	0.91	1.40	102
379	Flex Hone HD Block Cylinder 4 in.	62.14	95.60	37	429-6	9/16"-18 NF-SAE Die	1.11	1.70	102
380	Flex Hone HD Block Cylinder 4-1/4	65.52	100.80	37	429-7	5/8"-18 NF-SAE Die	1.17	1.80	102
381	Recoil Air Hose - 25 Ft. X 1/4"	13.49	20.75	72	429-8	3/4"-16 NF-SAE Die	1.56	2.40	102
382	Flex Hone Disc Brake 2-1/2 in.	23.24	35.75	52	430	Screw Extractor 3/32"-5/32"	1.01	1.55	113
383	Flex Hone Disc Brake 3-1/8 in.	29.25	45.00	52	431	Screw Extractor 5/32"-7/32"	1.27	1.95	113
387	Flex Hone Honing Oil 1/2 Pint	9.20	14.15	37,52	432	Screw Extractor 7/32"-9/32"	1.40	2.15	113
388	Harmonic Balancer Installer	25.84	39.75	33,117	433	Screw Extractor 9/32"-3/8"	1.72	2.65	113
388-01	Center Screw	10.27	15.80		434	Screw Extractor 3/8"-5/8"	2.02	3.10	113
388-02	Forcing Nut	1.24	1.90		438	Screw Extractor Set 5/32"-5/8"	6.53	10.05	113
388-03	Thrust Bearing	3.35	5.15		439	Wedge-Pruf Ext. Set 1/8"-1/4"	11.15	17.15	112
388-04	3/8"-24 X 5" Cap Screw	1.72	2.65		439-A	1/8" Extractor	2.83	4.35	112
388-05	7/16"-20 Adapter	2.41	3.70		439-B	5/32" Extractor	2.83	4.35	112
388-06	1/2"-20 Adapter	2.50	3.85		439-C	3/16" Extractor	2.83	4.35	112
388-07	9/16"-18 Adapter	2.50	3.85		439-D	7/32" Extractor	2.83	4.35	112
388-08	5/8"-18 Adapter	2.44	3.75		439-E	1/4" Extractor	2.83	4.35	112
388-09	12mm X 1.5 Adapter	2.50	3.85		440	Wedge-Pruf Ext. Set 9/32"-13/32"	10.21	15.70	112
388-10	14mm X 1.5 Adapter	2.57	3.95		440-F	9/32" Extractor	2.83	4.35	112
388-11	3/4"-16 Adapter	3.87	5.95		440-G	5/16" Extractor	2.83	4.35	112
388-12	Plastic Pouch	3.35	5.15		440-H	11/32" Extractor	2.83	4.35	112
389	Camshaft Sprocket Tool	17.91	27.55	37	440-I	3/8" Extractor	2.83	4.35	112
390	Flex Hone Brake Cylinder 7/8 in.	13.81	21.25	52	440-J	13/32" Extractor	2.83	4.35	112
391	Flex Hone Brake Cylinder 1 in.	15.76	24.25	52	441	Tapered Screw Ext. Set 1/4"-5/8"	8.68	13.35	112
392	Flex Hone Brake Cylinder 1-1/8 in.	16.54	25.45	52	441-1	Screw Extractor, 1/4"-5/16"	1.95	3.00	112
393	Flex Hone Brake Cylinder 1-3/8 in.	18.49	28.45	52	441-2	Screw Extractor, 3/8"	2.05	3.15	112
394	Flex Hone Std. Block Cyl. 3-1/2 in.	37.12	57.10	37,52	441-3	Screw Extractor, 7/16"	2.21	3.40	112
395	Flex Hone Std. Block Cyl. 3-3/4 in.	39.23	60.35	37,52	441-4	Screw Extractor, 1/2"-9/16"	2.18	3.35	112
396	Flex Hone Std. Block Cyl. 4-1/8 in.	42.28	65.05	37,52	441-5	Screw Extractor, 5/8"	2.24	3.45	112

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
442	Flex. Carb. & Dist. Adj. Tool	13.55	20.85	20	520-14	Snap Ring Ext 1200-25 20 pc/bg.	3.45	5.30	90
443	Carburetor Att. For No. 442	2.57	3.95	20	520-15	Snap Ring Ext 1200-31 20 pc/bg.	3.45	5.30	90
444	Distributor Att. for No. 442	2.31	3.55	20	520-16	Snap Ring Ext 1200-37 20 pc/bg.	3.45	5.30	90
445	Screw Starter Att. for No. 442	5.01	7.70	20	520-17	Snap Ring Ext 1200-56 20 pc/bg.	3.45	5.30	90
446	Magnet Att. for No. 442	6.34	9.75	20	520-18	Snap Ring Ext 2000-21 20 pc/bg.	3.45	5.30	90
447	Set No's. 442, 443, 444, 445, 446	29.74	45.75	20	520-19	Snap Ring Ext 2000-37 20 pc/bg.	3.45	5.30	90
449	T B I Air Valve Tool	10.76	16.55	22	520-20	Snap Ring Ext 2000-50 20 pc/bg.	3.45	5.30	90
450	Radiator Hose Pinch Off Pliers	10.82	16.65	41	520-21	Snap Ring Ext 2000-62 20 pc/bg.	3.45	5.30	90
452	Hose Clamp Plier, 3 Position	8.35	12.85	42	520-22	Snap Ring Ext 3000-43 20 pc/bg.	3.45	5.30	90
454	Flex. Carb. & Dist. Adj. Tool	8.52	8.95	10,20	520-23	Snap Ring Ext 3000-X62 20 pc/bg.	3.45	5.30	90
454-A	Screw Driver Att. (No. 454)	2.37	3.65	10,20	520-24	Snap Ring Ext 3000-X75 20 pc/bg.	3.45	5.30	90
456	Flex. Dist. Adj. Tool	4.91	7.55	10,20	520-25	Snap Ring Ext 3000-X87 20 pc/bg.	3.45	5.30	90
457	Ignition Module Wrench For Ford	3.58	5.50	9	520-26	Snap Ring Ext 3000-X100 20 pc/bg.	4.13	6.35	90
459	Carburetor Float Gauge	9.46	14.55	21	520-27	Snap Ring Ext 3000-X102 20 pc/bg.	4.13	6.35	90
459-1	6" Scale	4.45	6.85		520-28	Snap Ring Ext 3000-X106 20 pc/bg.	4.13	6.35	90
459-2	4" Scale	3.54	5.45		520-29	Snap Ring Ext 3000-X125 20 pc/bg.	6.89	10.60	90
459-3	Yoke	1.72	2.65		520-30	Snap Ring Ext 3000-X137 20 pc/bg.	6.89	10.60	90
459-4	Adjusting Screw	0.65	1.00		520-31	Snap Ring Ext 3000-X150 20 pc/bg.	6.89	10.60	90
459-5	Plastic Pouch	1.92	2.95		520-32	Snap Ring Ext 3000-X175 20 pc/bg.	8.97	13.80	90
461	Throttle Adjusting Tool	6.53	10.05	20	520-33	Snap Ring Ext 3100-15 20 pc/bg.	3.45	5.30	90
# 462	Carb. Adjusting Tool, 2.5mm Hex	4.84	7.45	21	520-34	Snap Ring Ext 3100-18 20 pc/bg.	3.45	5.30	90
# 463	Carb. Adjust. Tool - 3/32" Hex	4.42	6.80	21	520-35	Snap Ring Ext 3100-25 20 pc/bg.	3.45	5.30	90
# 464	Carb. Adjust. Tool - 4.5mm Hex	4.23	6.50	21	520-36	Snap Ring Ext 3100-31 20 pc/bg.	3.45	5.30	90
# 465	Carb. Adjust. Tool - 1/4" Hex	4.00	6.15	21	520-37	Snap Ring Ext 3100-50 20 pc/bg.	3.45	5.30	90
466	Carburetor Adj., Gear Drive	26.16	40.25	20	520-38	Snap Ring Ext 3100-55 20 pc/bg.	3.45	5.30	90
467	Ford Ignition Module Wr. W/T-20	5.20	8.00	9	520-39	Snap Ring Ext 3100-62 20 pc/bg.	3.45	5.30	90
468	Air Holds, O.H. Valve, 14 & 18mm	3.64	5.60	29	520-40	Snap Ring Ext 3100-68 20 pc/bg.	3.45	5.30	90
468-1	14mm Air Hold (1)	1.63	2.50		520-41	Snap Ring Ext 3100-75 20 pc/bg.	3.45	5.30	90
468-2	18mm Air Hold (1)	1.63	2.50		520-42	Snap Ring Ext 3100-78 20 pc/bg.	3.45	5.30	90
469	Flexible Valve Air Hold 14/18mm	6.63	10.20	29	520-43	Snap Ring Ext 3100-84 20 pc/bg.	3.45	5.30	90
470	GM Disc Bk Caliper Bolt T-45 3/8 Dr	8.48	13.05	57	520-44	Snap Ring Ext 3100-156 20 pc/bg.	6.89	10.60	90
471	GM Disc Bk Caliper Bolt T-50 3/8 Dr	8.48	13.05	57	520-45	Snap Ring Ext 3101-78 20 pc/bg.	6.89	10.60	90
472	GM Disc Bk Caliper Bolt Kit 2 pc.	14.98	23.05	57	520-46	Snap Ring Ext 3101-125 20 pc/bg.	6.89	10.60	90
473	FD Disc Bk Caliper Bolt T-40 3/8 Dr	8.48	13.05	57	520-47	Snap Ring Int 4000-100 20 pc/bg.	6.89	10.60	90
474	FD Disc Bk Caliper Bolt T-45 3/8 Dr	8.48	13.05	57	520-48	Snap Ring Int 4000-112 20 pc/bg.	6.89	10.60	90
475	FD Disc Bk Caliper Bolt T-50 3/8 Dr	8.48	13.05	57	520-49	Snap Ring Ext 4100-50 20 pc/bg.	3.45	5.30	90
476	FD Disc Bk Caliper Bolt Kit 3 pc.	22.46	34.55	57	520-50	Snap Ring Ext 4100-75 20 pc/bg.	3.45	5.30	90
489	GM Trans. Seal Remover/Installer	14.66	22.55	61	520-51	Snap Ring Ext 4100-112 20 pc/bg.	6.89	10.60	90
490	Seal Puller	5.75	8.85	64	520-52	Snap Ring Ext 1200-15 20 pc/bg.	3.45	5.30	90
491	Hook Att. For 495 & 595	12.32	18.95	80	521	Convertible Snap Ring Plier	17.00	26.15	88,89
494	Swivel Adp. for No. 495 & 595	19.99	30.75	80	522	Snap Ring Plier Int/Ext 1/8 to 1"	14.66	22.55	89
495	Body Dent & Seal Puller	21.94	33.75	80	523	Snap Ring Plier HD 1 1/2 - 4" I&E	36.14	55.60	89
495-1	Slide Hammer	9.39	14.45		524	Snap Ring Plier Kit 3 pc. 1/8 - 4"	83.10	127.85	89
495-2	Center Rod	4.88	7.50		524-01	Empty Case for 3 pr. of Pliers	16.64	25.60	
495-3	Nose Nut	2.44	3.75		524-02	Tip Kit 5 pr. for 522 Pliers	5.01	7.70	
495-4	Sheet Metal Screw	0.20	0.30		524-03	Tip Kit 5 pr. for 521 Pliers	4.68	7.20	
495-5	Handle	2.86	4.40		524-04	Tip Kit 3 pr. for 523 Pliers	6.24	9.60	
495-6	Hook	1.72	2.65		524-05	Tips V Notch for 521 & 522 Plier	4.03	6.20	
498	Flange Type Axle Puller	43.16	66.40	51,74	524-06	Tips Flat for 521 & 522 Pliers	4.03	6.20	
498-01	Flange only for No. 499	19.14	29.45	74,118	524-07	Tips V Notch for 523 Pliers	5.01	7.70	
498-2	Center Rod Assembly	23.56	36.25		524-08	Tips Flat for 523 Pliers	5.01	7.70	
498-3	Jam Nut (1)	1.98	3.05		NEW 525	Combination Snap Ring Plier	8.00	12.30	
498-4	Hammer (Weight) Only	18.62	28.65		526	Flange Axle/Front Wheel Puller	24.34	37.45	51,119
499	Slide Hammer, 5/8 X 18, 5 1/4 lb.	29.41	45.25	51,63	526-1	1 Yoke	20.18	31.05	
500	GM - W Body Strut Cart.Rem./Inst	219.96	338.40	70	526-2	Center Screw	7.48	11.50	
501	Bearing Splitter 2-1/4" Capacity	18.98	29.20	120	529	Noid Light Tester	7.12	10.95	11
501-1	Body (2 Pc. Set)	16.61	25.55		530	Noid Light Tester	7.12	10.95	11
501-2	Bolt & Nut (one each)	2.44	3.75		531	Noid Light Tester	7.12	10.95	11
502	GM W Body Strut Retaining Tool	101.53	156.20	70	532	Noid Light Tester	7.12	10.95	11
503	Bearing Splitter 4-1/2" Capacity	45.47	69.95	120	533	30525 I.A.C. Light, Tester	20.44	31.45	12
503-1	Body (2 Pc. Set)	40.01	61.55		534	30525 I.A.C. Light, Tester	20.44	31.45	12
503-2	Bolt & Nut (one each)	6.08	9.35		537	Battery Carrier w/Plastic Handle	10.56	16.25	6
504	GM W Body Bounce Bumper Wr	38.74	59.60	70	539	Combination Battery Carrier	3.25	5.00	6
505	Transmission Stop Off Tool	4.49	6.90	61	540	Battery Carrier Strap 17"	1.82	2.80	6
506	GM W Body Strut Cap Nut Wrench	42.93	66.05	70	541	Battery Carrier Strap 24"	1.85	2.85	6
507	GM W Body Strut Extension Rod	22.56	34.70	70	546	Battery Filler	3.74	5.75	6
509	GM W Body Strut Rod Skt.	32.34	49.75	70	547	Battery Plier 7 1/2" Long	9.72	14.95	6
510	Coil Spring Compressor	50.60	77.85	69	548	Batt. Terminal and Brg. Puller	11.64	17.90	7,120
510-1	Center Bolt & Nut	11.21	17.25		548-1	Yoke	0.94	1.45	
510-2	Unthreaded Yoke Assembly w/Jaws	29.12	44.80		548-2	Center Screw	1.82	2.80	
510-3	Threaded Yoke Assembly w/Jaws	24.96	38.40		548-3	Handle	0.36	0.55	
512	MacPherson Strut Tool	39.23	60.35	69	548-4	Swivel & Spring	0.39	0.60	
512-07	Nut 5/8-8 Acme RH Thread (1 each)	0.78	1.20		548-5	Body	4.03	6.20	
512-1	Threaded Rod w/3 Hex Nuts	10.79	16.60		548-6	Jaw Pin	0.20	0.30	
512-2	Top Yoke, 2 Hooks	21.52	33.10		548-7	Jaw (1)	3.77	5.80	
512-3	Bottom Yoke, 1 Hook	21.32	32.80		548-8	Forcing Screw	0.10	0.15	
512-4	Hardware Package (w/ safety hook)	5.33	8.20		549	Batt. Term. Clamp Spreader	13.88	21.35	7
515	Vacuum Switch Socket	7.57	11.65	27	551	Batt. Post & Clamp Clnr. Plas.	4.52	6.95	7
516	Small Oil Pressure Switch Socket	3.80	5.85	27	553	Batt. Post & Clamp Clnr. Metal	5.43	8.35	7
517	Oil Pressure Switch Socket	4.32	6.65	27	554	Battery Post & Clamp Cleaner	5.20	8.00	7
519	Oil Pres. Sending Socket 4.25" Ing	9.30	14.30	27	555	Battery Terminal/Cable Reamer	5.88	9.05	8
520	Snap Ring Assortment (52 Pcs.)	6.21	9.55	90	557	Side Term. Battery Brush	3.35	5.15	8
520-01	Snap Ring Ext 1000-X11 20 pc/bg.	3.45	5.30	90,91	558-B	H.D. Battery Clamp-Black	3.02	4.65	8
520-02	Snap Ring Ext 1000-12 20 pc/bg.	3.45	5.30	90	558-R	H.D. Battery Clamp-Red	3.02	4.65	8
520-03	Snap Ring Ext 1000-15 20 pc/bg.	3.45	5.30	90	559	GM Side Terminal Battery Wrench	7.35	11.30	8
520-04	Snap Ring Ext 1000-18 20 pc/bg.	3.45	5.30	90	560	Leak Check (Combustion Leaks)	21.29	32.75	41
520-05	Snap Ring Ext 1000-X18 20 pc/bg.	3.45	5.30	90	560-1	Leak Check Test Fluid - 16 Oz.	4.62	7.10	41
520-06	Snap Ring Ext 1000-X21 20 pc/bg.	3.45	5.30	90	560-2	Radiator Cap Assembly	4.19	6.45	
520-07	Snap Ring Ext 1000-25 20 pc/bg.	3.45	5.30	90	560-3	Hose & Aspirator	7.90	12.15	
520-08	Snap Ring Ext 1000-X31 20 pc/bg.	3.45	5.30	90	560-4	Glass Unit Complete	14.43	22.20	
520-09	Snap Ring Ext 1000-37 20 pc/bg.	3.45	5.30	90	561	Vacuum Cup Valve Grinder	2.57	3.95	30
520-10	Snap Ring Ext 1000-43 20 pc/bg.	3.45	5.30	90	562	Piston Ring Groove Cleaner	20.12	30.95	39
520-11	Snap Ring Ext 1000-50 20 pc/bg.	3.45	5.30	90	562-1	No. 562 Reg. Cutter Wheel	6.01	9.25	39
520-12	Snap Ring Ext 1000-62 20 pc/bg.	3.45	5.30	90	562-2	No. 562 Special Cutter Wheel	6.01	9.25	39
520-13	Snap Ring Ext 1001-50 20 pc/bg.	3.45	5.30	90	562-4	Small Parts Kit	7.18	11.05	

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
562-5	Lower Arm Only	5.75	8.85		633	Pick-It Set (5pcs.)	5.04	7.75	95
562-6	Upper Arm Only	8.32	12.80		NEW 639	9 Pc Hex Key Set 1.5mm - 10mm	4.26	6.55	
563	Piston Ring Groove Cleaner	13.29	20.45	39	640	Metric Hex Key Wrench Set, 10 Pcs.	4.81	7.40	105
563-1	563 Replacement Cutter Wheel Kit	5.43	8.35	39	# 648	VW Front Wheel Bearing Wrench	1.20	1.85	58
NEW 564	Piston Ring Installer	5.33	8.20		650	Impact Wrench only, 3/8" Drive	11.86	18.25	104
565	Fly Wheel Turner	19.83	30.50	35	650-2	12-14 Straight Bit, 5/16" Hex	1.17	1.80	104
565-01	Lever	13.91	21.40		650-3	16-18 Straight Bit, 5/16" Hex	1.43	2.20	104
565-02	Lever Arm	3.58	5.50		650-4	No. 2 Phillips Bit, 5/16" Hex	1.17	1.80	104
565-03	Lever Fulcrum	1.59	2.45		650-5	No. 4 Phillips Bit, 5/16" Hex	1.27	1.95	104
565-04	Shoulder Bolt	0.91	1.40		651	Impact Wrench Set	17.06	26.25	104
565-05	Nut w/Plastic Washer	0.03	0.05		657	Tailpipe Expander 1-5/8" I.D.	18.33	28.20	62
565-06	Rivets (2)	0.07	0.10		657-1	Center Screw	11.02	16.95	
565-07	Serrated Rivet	0.03	0.05		657-2	Expanding Segment (1)	2.96	4.55	
565-08	Spanner Pin	0.07	0.10		657-3	Threaded Cone	4.06	6.25	
565-09	Plastic Handles	2.28	3.50		657-4	Non-Threaded Cone	4.00	6.15	
565-10	Spring	0.72	1.10		657-5	Rubber "O" Ring	0.91	1.40	
566	Piston Ring Expander	9.91	15.25	39	667	Offset Screwdriver - 4 Way	6.47	9.95	104
567	Universal Piston Ring Comp.	14.46	22.25	40	668	Magnet Screwdriver w/4 Tips, 7" OAL	6.57	10.10	104
569	Universal Ring Compressor	8.13	12.50	40	668-1	6-8 Slotted Bit, 1/4" Drive	0.81	1.25	104
569-1	Replacement Key	0.75	1.15		668-2	8-10 Slotted Bit, 1/4" Drive	0.81	1.25	104
569-1	Heavy Duty Ring Compressor	9.43	14.50	40	668-3	No. 1 Phillips Bit, 1/4" Drive	0.81	1.25	104
570	Jumbo Ring Compressor 3"- 7"	19.60	30.15	40	668-4	No. 2 Phillips Bit, 1/4" Drive	0.81	1.25	104
571	Valve Spring Compressor	17.81	27.40	31	680	Flare Nut Wrench Set, 3 pc.	19.86	30.55	113
572	Midget Ring Compressor	4.71	7.25	40	681	Flare Nut Wrench, 3/8"-7/16"	5.95	9.15	113
573	Deluxe Overhd Valve Spring Compr	27.92	42.95	31	682	Flare Nut Wrench, 1/2"-9/16"	6.66	10.25	113
574	Air Operated Valve Lifter	189.09	290.90	32	683	Flare Nut Wrench, 5/8"-11/16"	8.00	12.30	113
574-1	Air Cylinder w/Push Rod	95.65	147.15		684	Line Quick Disconnect tools - 6 pcs	7.41	11.40	28
574-2	Rebuilt Power Unit w/Exchange	61.26	94.25		693	Ignition Point Files, 2/Card	1.24	1.90	15
574-3	Rubber Washer	1.89	2.90		694	Flexible Abrasive Stones, 2/Card	2.50	3.85	15
574-4	Valve Seat Washer	0.65	1.00		697	Pry Bar, OAL 16"	11.67	17.95	80
574-5	O-Ring Seal	0.55	0.85		699	Rollinghead Pry Bar, 16" Long	9.07	13.95	80
574-6	Frame Only	36.14	55.60		702	Disc Brake Pad Spreader	6.89	10.60	54
575	Universal Valve Lifter	49.37	75.95	32	703	GM Disc Brake Hex Adjuster	1.76	2.70	58
575-1	Small Straight Jaws (2)	6.86	10.55	32	704	Disc Brake Caliper Socket 3/8"	2.15	3.30	58
575-2	Medium Offset Jaws (2)	6.47	9.95	32	705	Disc Brake Caliper Socket 1/4"	2.18	3.35	59
575-3	Large Straight Jaws	7.12	10.95	32	706	Disc Brake Caliper Socket 5/16"	2.18	3.35	58
576	Wrinkle Band Ring Compressor	8.00	12.30	39	708	Scraper w/3 Poly Blades	5.04	7.75	78
577	Small Engine Valve Lifter	13.29	20.45	32	709	Polyguard Scraper Blades (5)	1.79	2.75	78
577-1	Combination Large/Small Jaws	5.40	8.30		709-1	Polyguard Blade (1)	0.26	0.40	
578	"Shorty" Valve Lifter	19.86	30.55	31	710	Heavy Duty Razor Blade Scraper	4.97	7.65	78
579	Valve Spring Compressor	8.74	13.45	31	710-1	Repl. Blades For No. 710 (10)	1.50	2.30	78
581	Soft Plug/Freeze Plug Tool	49.37	75.95	29	711	Razor Blades - 100 Per Box	6.89	10.60	78
581-1	Handle w/7/8" Adapter	17.36	26.70		712	Pocket Jack Knife	7.12	10.95	96
581-2	1 1/4" Adapter	5.75	8.85		713	Barlow Pocket Knife	7.12	10.95	96
581-3	1 3/8" Adapter	7.02	10.80		714	Flexible Mech. Finger 14"	4.52	6.95	94
581-4	1 5/8" - 1 3/4" Adapter	7.51	11.55		715	Flexible Mech. Finger 15"	9.43	14.50	94
581-5	2" - 2 1/2" Adapter	8.78	13.50		716	Power Scissors - Stainless Steel	6.34	9.75	92
582	Engine Chain Lift	27.01	41.55	35	717	Extended Razor Blade Scraper	7.51	11.55	78
582-1	Lift Ring	5.20	8.00		718	Wire Wheel Brush 6" Dia.	9.43	14.50	81
584	7 Pcs. Gasket & Hollow Punch Set	13.81	21.25	34	719	Saginaw Tie Rod Socket 1-3/16"	15.89	24.45	68
584-1	Holder/Driver	2.73	4.20		720	Saginaw Tie Rod Socket 1-5/16"	15.89	24.45	68
584-2	Hollow Punch, 1/4"	1.59	2.45		721	Saginaw Inner Tie Rod Socket	15.47	23.80	68
584-3	Hollow Punch, 5/16"	1.59	2.45		722	Disc Brake Piston Remover	8.26	12.70	58
584-4	Hollow Punch, 3/8"	1.59	2.45		723	Torque Wrench, 30-250 Ft. Lbs.	98.77	151.95	116
584-5	Hollow Punch, 7/16"	1.59	2.45		724	Lock Pin Remover Rack & Pinion	35.13	54.05	66
584-6	Hollow Punch, 1/2"	1.59	2.45		726	Torq. Wrench 0-100 In. Lbs.	55.06	84.70	116
584-7	Hollow Punch, 9/16"	1.95	3.00		727	Torq. Wrench 0-150 Ft. Lbs.	59.28	91.20	116
584-8	Hollow Punch, 5/8"	2.08	3.20		728	Torq. Wrench 0-200 Ft. Lbs.	63.31	97.40	116
589	10 Pc. Gasket/Hollow Punch Set	25.68	39.50	35	734	Economy Pocket Radiator Tester	1.85	2.85	42
589-10	Hollow Punch, 3/4"	3.02	4.65		735	Pocket Battery Tester	1.85	2.85	8
589-11	Hollow Punch, 7/8"	3.41	5.25		735-01	Pocket Battery Tester Only	0.91	1.40	
589-12	Hollow Punch, 1"	4.16	6.40		736	Radiator Hose Removal Tool	6.76	10.40	42
592	Suction Cup Dent Puller	8.22	12.65	84	737	Anti-Freeze Tester, Glass, 15 in.	12.32	18.95	42
593	Overhead Valve Spring Comp.	9.91	15.25	31	738	Battery Hydrometer, Glass, 12 in.	11.28	17.35	8
595	Body Dent Puller	25.78	39.66	81	742	Bimetal Thermometer for Air/Water	10.37	15.95	91
595-1	Slide Hammer Weight	13.49	20.75		743	Bearing Race Installer	34.42	52.95	64
595-2	Center Rod w/Nut	6.57	10.10		744	Bushing Remover & installer	39.10	60.15	87
595-3	Handle Only	5.53	8.50		744-01	Small Driver	3.35	5.15	
596	Dent Puller Adapter (495/595)	2.57	3.95	80,81	744-02	7/16" Adapter	1.11	1.70	
597	Dent Puller Adapter (495/595)	4.16	6.40	80,81	744-03	1/2" Adapter	1.24	1.90	
598	Dent Puller Spike Screw	7.77	11.95	80,81	744-04	Medium Driver	3.77	5.80	
599	Dent Puller Magic Tip Screw	8.42	12.95	80,81	744-05	5/8" Adapter (Thin)	1.20	1.85	
601	Dist. Wrench, 1/2" Dr. Ford AMC IH	9.91	15.25	9	744-06	5/8" Adapter	1.27	1.95	
602	Dist. Wrench 9/16" Dr., GM AMC	9.26	14.25	9	744-07	11/16" Adapter	1.53	2.35	
603	Dist. Wrench 1/2" Dr. Ford, IH	9.46	14.55	9	744-08	Large Driver	6.99	10.75	
604	Dist. Wrench 9/16" Dr., GM	9.59	14.75	9	744-09	13/16" Adapter	1.89	2.90	
605	Dist. Wrench, 1/2" Dr., Chry Ford	9.59	14.75	9	744-10	7/8" Adapter	2.21	3.40	
608	Ignition Point Files (card 12)	7.77	11.95	15	744-11	15/16" Adapter	2.80	4.30	
609	Distributor Wrench - 13mm, Ford	10.76	16.55	9	744-12	1" Adapter	2.34	3.60	
611	Distributor Wrench - 17mm, Ford	13.62	20.95	9	744-13	1 1/16" Adapter	2.76	4.25	
612	Distributor Wrench - 10mm	9.72	14.95	9	744-14	1 1/8" Adapter	2.54	3.90	
614	Distributor Wrench - 12mm	12.97	19.95	9	744-15	1 3/16" Adapter	2.99	4.60	
617	Distributor Wrench - 13mm	11.54	17.75	9	744-16	1 1/4" Adapter	3.15	4.85	
618	Distributor Wrench - 15mm	11.54	17.75	9	744-17	Small Lock Screw	0.42	0.65	
619	Brass Hammer 12 Oz.	10.95	16.85	97	744-18	Medium Lock Screw	0.52	0.80	
620	Brass Hammer 4 Oz.	6.24	9.60	97	744-19	Large Lock Screw	0.68	1.05	
621	Brass Hammer 8 Oz.	9.30	14.30	97	744-20	Plastic Box	4.39	6.75	
622	Brass Hammer 16 Oz.	14.24	21.90	97	# 745	Steering Wheel Lock Plate Rem.	15.15	23.30	116
624	Adjustable Mirror OAL 16"	7.87	12.10	92	# 745-1	Yoke	3.51	5.40	
624-1	Mirror Only	1.07	1.65		# 745-2	Center Screw Assembly	5.40	8.30	
626	Inside-Outside Caliper	8.97	13.80	95	# 745-3	Adapter Combination	5.23	8.05	
627	Hook Scribe OAL 9"	2.60	4.00	94	# 745-5	Wing Nut	1.63	2.50	
628	Hook Scribe, Slip Handle	2.83	4.35	94	# 745-8	Lock Screw Assembly	2.28	3.50	
630	Scribe, Rev., Carbide Tip	4.55	7.00	95	NEW 746	Steering Wheel Lock Plate Remover	17.52	26.95	
630-1	Carbide Point	3.12	4.80		755	Quick Change Brake Cyl. Hone	7.80	12.00	53

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
757	Hose & PVC Pipe Cutter	20.77	31.95	41	831	Bearing Lubricator	39.20	60.30	69
NEW 757-1	Replacement Blade for 757	6.08	9.35		832	Safety Goggles	4.10	6.30	84,99
759	Screw Feed Tubing Cutter	12.97	19.95		833	Safety Glasses	5.82	8.95	84,99
# 760	Metric Ignition Wrench Set, 8 pcs.	19.92	30.65	9	835	Power Steering Tester	74.72	114.95	26
# 760-1	4mm - 15 Degree Wrench	2.28	3.50		836	Autom. Trans/Engine Oil Tester	24.47	37.65	27
# 760-2	4.5mm - 15 Degree Wrench	2.28	3.50		836-01	Gauge	9.69	14.90	
# 760-3	5mm - 15 Degree Wrench	2.28	3.50		836-02	Hose Assembly	10.50	16.15	
# 760-4	5.5mm - 15 Degree Wrench	2.28	3.50		836-03	Plastic Lens for Gauge	0.55	0.85	
# 760-5	6mm - 15 Degree Wrench	2.60	4.00		836-04	Instruction	0.39	0.60	
# 760-6	7mm - 15 Degree Wrench	2.60	4.00		836-05	Long Nipple 1/8" x 2"	0.94	1.45	
# 760-7	8mm - 15 Degree Wrench	2.93	4.50		836-06	Coupling 1/8" x 1/8"	0.68	1.05	
# 760-8	9mm - 15 Degree Wrench	2.93	4.50		836-07	Street Elbow 1/8" x 1/8"	1.11	1.70	
761	Tube Cutter, 1/8"-1 1/8" O.D.	14.43	22.20	86	836-08	Reducing Hex Nipple 1/4" x 1/8"	1.11	1.70	
761-1	Repl. Cutter Wheel For No. 761	1.40	2.15	86	836-09	Bushing 1/4" x 1/8"	0.68	1.05	
761-2	Reamer Blade	1.98	3.05		836-10	Bushing 3/8" x 1/8"	0.68	1.05	
761-3	Roller & Pin	2.18	3.35		839	Spindle Nut Wrench 4 W.D. (4 lug)	15.50	23.85	65
762	Sub-Compact Brake Cyl. Hone	7.51	11.55	54	840	Spindle Nut Wrench 4 W.D. (6 lug)	18.56	28.55	65
762-2	Shaft Assembly w/Nut	4.29	6.60		841	Utility Hole Punch	4.49	6.90	79
762-4	Spring	0.91	1.40		842	High Velocity U. Joint Greaser	4.81	7.40	64
762-5	Collar	0.55	0.85		843	Oxygen Sensor Socket	9.78	15.05	28
762-6	Adapter Assembly w/Legs	2.47	3.80		844	Grinding Point (Stone) - 1"	2.15	3.30	82
762-8	Pad Clips	0.16	0.25		845	3 Pc. Adapter Kit for P/N 835	9.43	14.50	26
763	2 Replacement Stones for No. 762	2.41	3.70	54	846	5 Pc. Adapter Kit for P/N 836	9.46	14.55	27
764	Exhaust Tail Pipe Cutter	28.57	43.95	62	850	Hood & Trunk Lid Holder	16.02	24.65	100
765	Tailpipe & Tubing Cutter	30.19	46.45	62	852	Hand Bearing Packer	24.28	37.35	64
767	Vacuum Cup Valve Grinder 3/4	1.63	2.50	30	NEW 853	Cone Type Bearing Greaser - OS	6.31	9.70	
768	Valve Grinding Compound	5.82	8.95	30	854	Double "D" Idle Mix Adjuster	4.39	6.75	21
772	Small Engine Valve Spring Comp.	14.14	21.75	33	855	Brake Bleeder Tank, 1 Gal. Plastic	99.42	152.95	56
772-1	Jaws w/Rivets (2)	4.00	6.15		855-2	Pump Assembly	36.14	55.60	
773	Straight Line Puller	25.64	39.45	38,120	855-3	Plastic Tank Only	30.52	46.95	
773-1	Jaw (1)	7.02	10.80		855-5	Needle Valve	9.91	15.25	
773-2	Cross Beam	7.18	11.05		855-6	Gauge	10.50	16.15	
773-3	Screw	6.24	9.60		855-7	Quick Disconnect	6.34	9.75	
774	Adjustable "C" Clamp 4"	8.81	13.55	98	855-8	Hose Assembly	19.14	29.45	
775	Adjustable "C" Clamp 6"	11.83	18.20	98	857	GM Diesel Compression Tester	35.82	55.10	26
780	3 Piece Metric Flare Nut Wrench Set	21.03	32.35	113	857-1	G.M. Adapter	6.21	9.55	
781	Metric Flare Nut Wrench 9 - 11mm	7.02	10.80	113	857-2	Hose w/Fittings	14.72	22.65	
782	Metric Flare Nut Wrench 10 - 12mm	7.18	11.05	113	857-3	Quick Coupler	9.65	14.85	
783	Metric Flare Nut Wrench 13 - 14mm	7.18	11.05	113	857-4	Gauge	14.92	22.95	
785	Cup Type OFW 65mm 3/8 Dr 14 FI	5.04	7.75	43	857-5	Side Release Valve	1.04	1.60	
786	Cup Type OFW 68mm 3/8 Dr 14 FI	5.04	7.75	43	857-6	Valve Core	0.98	1.50	
787	Cup Type OFW 73mm 3/8 Dr 14 FI	5.04	7.75	43	858	VW Adapter, For No. 857	10.04	15.45	26
788	Cup Type OFW 74-76mm 3/8 Dr 15 FI	5.04	7.75	43	859	Mercedes Adapter, for No. 857	9.36	14.40	26
789	Cup Type OFW 76mm 3/8 Dr 14 FI	5.04	7.75	43	860	GM 6.2 Diesel Adapter For 857	10.47	16.10	26
790	Cup Type OFW 80mm 3/8 Dr 15 FI	5.04	7.75	43	861	Universal Adapter, for No. 855	14.53	22.35	56
791	Cup Type OFW 93mm 3/8 Dr 15 FI	5.04	7.75	43	862	Toyota Adapter, for No. 855	23.21	35.70	56
792	Cup Type OFW 93mm 3/8 Dr 36 FI	4.94	7.60	43	864	VW Adapter, for No. 855	10.53	16.20	56
793	Cup Type OFW 65/67mm 3/8 2 Stp	5.04	7.75	43	865	Chrysler Adapter, for No. 855	12.19	18.75	56
794	Cup Type OFW 82mm 3/8 Dr 15 FI	5.04	7.75	43	869	Brk. Bleeder Adpt. For Plastic Resv	33.12	50.95	56
795	Cup Type OFW 90mm 3/8 Dr 15 FI	5.04	7.75	43	870	GM Brake Bleeder Wrench	10.01	15.40	49
796	Cup Type OFW 74mm 3/8 Dr 15 FI	5.04	7.75	43	871	Pilot Bearing Adapter (No. 248)	33.12	50.95	118
797	Cup Type OFW 76mm 3/8 Dr 30 FI	5.04	7.75	43	871-1	Adapter (to Shaft)	5.92	9.10	
798	Cup Type OFW 100mm 3/8 Dr 15 FI	5.04	7.75	43	871-2	Regular Jaw	6.63	10.20	
800	Brass Taper Punch, OAL 8"	7.25	11.15	98	871-3	Small Jaw	7.96	12.25	
801	Brass Bar Punch, OAL 10"	8.03	12.35	98	871-4	Body/Yoke	9.07	13.95	
804	8 MM Disc Brake Wrench	1.30	2.00	58	871-5	Jaw Screw & Nut	1.72	2.65	
806	Compression Tester w/Flex Adapter	41.93	64.50	25	872	"Vice Grip" Adapter (No. 248)	6.34	9.75	118
808	Shock Absorber Socket - GM	2.34	3.60	69	873	Hook Adapter, for No. 248	10.99	16.90	118
809	Ford Strut Tool	16.58	25.50	70	875	EZE Bleeder Brake Bleeder	14.63	22.50	55
810	Monroe Shock Tool, Fords	22.43	34.50	70	876	Valve Spring Compressor	59.74	91.90	33
NEW 811	Wrench Holder for 12 Wrenches	4.88	7.50	101	876-1	Small Straight Jaws (2)	6.08	9.35	33
812	Front Shock Absorber Tool Set	7.02	10.80	71	876-2	Medium Offset Jaws (2)	6.44	9.90	33
813	Compression Tester, 14/18mm	20.77	31.95		876-3	Large Straight Jaws (2)	6.50	10.00	33
814	All Size Oil Filter Wrench	5.62	8.65	46	880	14mm Cly. Head Rethread Kit	16.58	25.50	114
816	Comp. Tester w/Quick Coupler	31.49	48.45	26	880-1	14mm Reamer Tap	7.96	12.25	114
816-01	Gauge	9.43	14.50		880-2	14mm insert 3/8" long (pair)	2.50	3.85	114
816-02	Chrome Ring	1.53	2.35		880-3	14mm insert 7/16" long (pair)	2.50	3.85	114
816-03	Valve Core	0.26	0.40		880-4	14mm insert 1/2" long (pair)	2.50	3.85	114
816-04	Coupler Washer	0.20	0.30		880-5	14mm insert 3/4" long (pair)	2.50	3.85	114
816-05	Plastic Lens	0.55	0.85		891	HD Trk Oil Filtr Wr 4-1/2 To 4-21/32	21.48	33.05	45
816-06	14mm Adapter	1.63	2.50		892	HD Trk Oil Filtr Wr 4-21/32 To 5-5/32	21.48	33.05	45
816-07	Hose Assembly 12"	7.74	11.90		893	HD Trk Oil Filtr Wr 5-5/32 To 5-21/32	21.48	33.05	45
816-08	Quick Coupler	5.40	8.30		894	Universal Chain Oil Filter Wrench	5.69	8.75	46
816-09	Short Adapter 14/18mm	3.87	5.95		900	TORX Screwdriver Set, 4 pcs.	11.02	16.95	103
816-10	8" Hose Adpater 14/18mm	5.23	8.05		901	T-10 TORX Screwdriver	3.06	4.70	103
816-11	Small 14mm "O" Ring	0.16	0.25		902	T-15 TORX Screwdriver	2.99	4.60	103
816-12	Large 18mm "O" Ring	0.20	0.30		903	T-20 TORX Screwdriver	2.99	4.60	103
816-13	Instructions	0.39	0.60		904	T-25 TORX Screwdriver	3.06	4.70	103
817	10mm Adapter, for No. 816	4.97	7.65	26	905	T-30 TORX Screwdriver	3.09	4.75	103
817-1	10mm "O" Ring	0.23	0.35		906	Plastic Tool Bit Holder	1.98	3.05	100
818	12mm Adapter, for No. 816	5.14	7.90	26	907	4 in 1 Rev. TORX Screwdriver	7.38	11.35	103
818-1	12mm "O" Ring	0.23	0.35		907-1	T-15, T-20 Bit	2.15	3.30	
819	Cam Type Filter Wrench	4.88	7.50	46	907-2	T-25, T-30 Bit	2.15	3.30	
820	Cam Type Oil Filter Wrench	5.56	8.55	46	# 908	T-15 Extra Long TORX Screwdriver	8.03	12.35	104
# 823	Spark Plug Gauge & Adjuster	1.53	2.35	18	910	TORX Bit Set, 7 Bits & Driver	13.03	20.05	106
824	100pc Ramp Gauge Merchandiser	134.26	206.55	18	911	TORX Key Set, 9 Pcs.	17.06	26.25	105
NEW 825	Cal-Van Ramp Spark Plug Gauge	1.53	2.35		911-10	T-10 TORX Key	1.76	2.70	105
827	GM Disc Brake Dust Boot Tool	10.60	16.30	51	911-15	T-15 TORX Key	1.76	2.70	105
827-1	Driver w/Nut & Washer	4.10	6.30		911-20	T-20 TORX Key	1.76	2.70	105
827-2	Large Cup - GM	1.98	3.05		911-25	T-25 TORX Key	1.98	3.05	105
827-3	Small Cup - GM	1.82	2.80		911-27	T-27 TORX Key	1.98	3.05	105
827-4	Medium Large Cup	1.98	3.05		911-30	T-30 TORX Key	1.98	3.05	105
827-5	Medium Small Cup	1.95	3.00		911-40	T-40 TORX Key	2.57	3.95	105
829	Bearing Lubricator	30.39	46.75	69	911-45	T-45 TORX Key	2.80	4.30	105
830	Bearing Lubricator	32.18	49.50	69	911-50	T-50 TORX Key	3.06	4.70	105

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
913	9 Pc Tamper Resistant TORX Dr. Set	31.46	48.40	108	943-5	Jaw (1)	18.49	28.45	
913-10	T-10 Tamper Resistant TORX Dr.	4.13	6.35	108	944	Puller, Two Jaw, 10" Adjustable	47.94	73.75	121
913-15	T-15 Tamper Resistant TORX Dr.	3.80	5.85	108	944-1	2 Jaw Yoke	12.42	19.10	
913-20	T-20 Tamper Resistant TORX Dr.	3.80	5.85	108	944-2	Center Screw	11.90	18.30	
913-25	T-25 Tamper Resistant TORX Dr.	4.36	6.70	108	944-3	Link (1)	1.37	2.10	
913-27	T-27 Tamper Resistant TORX Dr.	4.36	6.70	108	944-4	Link Bolt & Nut (1)	1.11	1.70	
913-30	T-30 Tamper Resistant TORX Dr.	4.36	6.70	108	944-5	Jaw (1)	18.49	28.45	
913-40	T-40 Tamper Resistant TORX Dr.	4.88	7.50	108	945	Puller, Two Jaw, 12" Adjustable	88.37	135.95	121
913-45	T-45 Tamper Resistant TORX Dr.	4.84	7.45	108	945-1	2 Jaw Yoke	19.14	29.45	
913-50	T-50 Tamper Resistant TORX Dr.	5.27	8.10	108	945-2	Center Screw	22.30	34.30	
914	Tamperproof TORX Set T-10 - T-40	14.59	22.45	107	945-3	Link (1)	3.15	4.85	
914-10	Tamperproof Bit T-10, 1/4" Hex	1.92	2.95	107	945-4	Link Bolt & Nut (1)	0.85	1.30	
914-15	Tamperproof Bit T-15, 1/4" Hex	2.02	3.10	107	945-5	Jaw (1)	27.40	42.15	
914-20	Tamperproof Bit T-20, 1/4" Hex	2.02	3.10	107	946	Puller, Two Jaw, 15" Adjustable	98.15	151.00	121
914-25	Tamperproof Bit T-25, 1/4" Hex	1.92	2.95	107	946-1	2 Jaw Yoke	18.66	28.70	
914-27	Tamperproof Bit T-27, 1/4" Hex	2.02	3.10	107	946-2	Center Screw	21.91	33.70	
914-30	Tamperproof Bit T-30, 1/4" Hex	2.02	3.10	107	946-3	Link (1)	3.15	4.85	
914-40	Tamperproof Bit T-40, 1/4" Hex	2.02	3.10	107	946-4	Link Bolt & Nut (1)	1.40	2.15	
914-99	Tamperproof Set Pouch	0.91	1.40		946-5	Jaw (1)	33.41	51.40	
915-3	T-50 TORX TamperProof Bit	2.31	3.55	107	951	Puller, 2 or 3 Jaw, 7" Rev.	38.06	58.55	121
915-4	T-55 TORX TamperProof Bit	2.96	4.55	107	951-1	2 - 3 Jaw Yoke	12.84	19.75	
916	7 Pc. Folding TORX Key Set	11.21	17.25	105	951-2	Center Screw	7.80	12.00	
920	TORX Socket Set, 7 pcs.	14.46	22.25	109	951-3	Link (1)	0.49	0.75	
920-1	Vinyl Socket Holder	0.94	1.45		951-4	Link Bolt & Nut (1)	0.26	0.40	
921	TORX Socket, E-6, 1/4" Dr.	1.92	2.95	109	951-5	Jaw (1)	6.11	9.40	
922	TORX Socket, E-7, 1/4" Dr.	1.92	2.95	109	952	Puller, 2 or 3 Jaw, 8" Adj.	42.61	65.55	121
923	TORX Socket, E-8, 1/4" Dr.	1.92	2.95	109	952-1	2 - 3 Jaw Yoke	12.84	19.75	
925	TORX Socket, E-10, 3/8" Dr.	2.31	3.55	109	952-2	Center Screw	7.80	12.00	
926	TORX Socket, E-12, 3/8" Dr.	2.31	3.55	109	952-3	Link (1)	0.49	0.75	
927	TORX Socket, E-14, 3/8" Dr.	2.31	3.55	109	952-4	Link Bolt & Nut (1)	0.26	0.40	
928	TORX Socket, E-16, 3/8" Dr.	2.44	3.75	109	952-5	Jaw (1)	7.57	11.65	
929	TORX Socket, E-18, 1/2" Sq. Dr.	6.96	10.70	109	953	Puller, 2 or 3 Jaw, 10" Rev.	62.40	96.00	121
930	TORX Socket Set, w/Holder, 9 Sizes	19.05	29.30	108	953-1	2 - 3 Jaw Yoke	25.25	38.85	
930-1	TORX Bit, T-10, 1/4" Skt. Dr.	2.21	3.40	108	953-2	Center Screw	12.29	18.90	
930-10	TORX Bit, T-60, 1/2" Skt. Dr.	6.21	9.55	59,108	953-3	Link (1)	1.37	2.10	
930-11	Vinyl Socket Holder for No. 930	1.33	2.05		953-4	Link Bolt & Nut (1)	1.07	1.65	
930-12	TORX Bit, T-55, 3/8" Skt. Dr.	2.89	4.45	108	953-5	Jaw (1)	18.56	28.55	
930-2	TORX Bit, T-15, 1/4" Skt. Dr.	2.11	3.25	108	954	Puller, 2 or 3 Jaw, 11" Adj.	70.82	108.95	121
930-3	TORX Bit, T-20, 1/4" Skt. Dr.	2.11	3.25	108	954-1	2 - 3 Jaw Yoke	25.25	38.85	
930-4	TORX Bit, T-25, 1/4" Skt. Dr.	2.11	3.25	108	954-2	Center Screw	12.29	18.90	
930-5	TORX Bit, T-27, 1/4" Skt. Dr.	2.11	3.25	108	954-3	Link (1)	1.37	2.10	
930-6	TORX Bit, T-30, 1/4" Skt. Dr.	2.21	3.40	108	954-4	Link Bolt & Nut (1)	1.07	1.65	
930-7	TORX Bit, T-40, 3/8" Skt. Dr.	2.89	4.45	108	954-5	Jaw (1)	14.92	22.95	
930-8	TORX Bit, T-45, 3/8" Skt. Dr.	2.89	4.45	108	955	Puller, 2 or 3 Jaw, 14" Adj.	138.32	212.80	121
930-9	TORX Bit, T-50, 3/8" Skt. Dr.	2.89	4.45	70,108	955-1	2 - 3 Jaw Yoke	40.27	61.95	
931	T47 TORX Bit Driver 3/8" Sq. Dr.	3.06	4.70	108	955-2	Center Screw	22.33	34.35	
932	TORX Bit Set - Internal 12 pcs.	25.84	39.75	108	955-3	Link (1)	3.12	4.80	
932-01	Vinyl Socket Holder (12 pcs.)	1.46	2.25		955-4	Link Bolt & Nut (1)	0.85	1.30	
934-01	Bit Holder, 1/4" Hex X 3/8 Sq Dr.	2.47	3.80	109,110	955-5	Jaw (1)	27.20	41.85	
934-02	Bit Holder, 5/16" Hex X 3/8 Sq Dr.	2.47	3.80	109,110	956	Puller, 2 or 3 Jaw, 17" Adj.	146.25	225.00	121
934-03	Bit Holder, 3/8" Hex X 3/8 Sq Dr.	2.57	3.95	109	956-1	2 - 3 Jaw Yoke	40.07	61.65	
934-04	Bit Holder, 7/16" Hex X 3/8 Sq Dr.	3.12	4.80	110	956-2	Center Screw	22.23	34.20	
935	10 Pcs Fractional Hex Bit Set	37.02	56.95	109	956-3	Link (1)	2.41	3.70	
935-01	3/32" Hex Bit - 1/4" Hex Shank	1.37	2.10	109	956-4	Link Bolt & Nut (1)	1.17	1.80	
935-02	7/64" Hex Bit - 1/4" Hex Shank	1.37	2.10	109	956-5	Jaw (1)	25.32	38.95	
935-03	1/8" Hex Bit - 1/4" Hex Shank	1.37	2.10	109	965	Bandit Pok-II Clamp Tool	57.79	88.90	63
935-04	9/64" Hex Bit - 1/4" Hex Shank	1.37	2.10	109	968	34MM Axle Nut Socket 1/2" Dr.	12.12	18.65	65
935-05	5/32" Hex Bit - 1/4" Hex Shank	1.37	2.10	109	969	32mm Axle Nut Socket 1/2" Dr.	11.31	17.40	65
935-06	3/16" Hex Bit - 1/4" Hex Shank	1.37	2.10	109	970	C-V Boot Removal/Installation Tool	30.75	47.30	63
935-07	7/32" Hex Bit - 1/4" Hex Shank	1.37	2.10	109	970-01	Bell	9.13	14.05	
935-08	1/4" Hex Bit - 1/4" Hex Shank	1.40	2.15	109	970-02	Center Screw w/Swivel	6.83	10.50	
935-09	5/16" Hex Bit - 5/16" Hex Shank	1.40	2.15	109	971	30mm C-V Axle Nut Socket	12.16	18.70	65
935-10	3/8" Hex Bit - 3/8" Hex Shank	1.43	2.20	109	972	36mm C-V Axle Nut Socket	15.57	23.95	65
935-99	Vinyl Holder for 10 Pcs Hex bit Set	1.72	2.65		973	Retaining Ring Plier	8.52	13.10	62
936	10 Pcs Metric Hex Bit Set	37.02	56.95	110	973-1	Tips (2)	0.75	1.15	
936-02	2mm Hex Bit - 1/4" Hex Shank	1.37	2.10	110	974	C-V Joint Boot Clamp Plier	8.35	12.85	62
936-03	3mm Hex Bit - 1/4" Hex Shank	1.37	2.10	110	974-1	Tips (2)	2.44	3.75	
936-04	4mm Hex Bit - 1/4" Hex Shank	1.37	2.10	110	975	C-V Dust Boot Clamp Installer	13.20	20.30	63
936-05	5mm Hex Bit - 1/4" Hex Shank	1.37	2.10	110	975-1	Winding Mandrel	2.28	3.50	
936-06	6mm Hex Bit - 1/4" Hex Shank	1.37	2.10	110	976	C-V Boot Clamp Installer	12.71	19.55	63
936-07	7mm Hex Bit - 5/16" Hex Shank	1.40	2.15	110	977	Frt. Whl. Dr. Axle Puller Adapter	13.85	21.30	63
936-08	8mm Hex Bit - 5/16" Hex Shank	1.40	2.15	110	978	Pulling Adapter Kit	37.44	57.60	63
936-09	9mm Hex Bit - 7/16" Hex Shank	1.89	2.90	110	978-2	Center Rod Assembly	19.05	29.30	
936-10	10mm Hex Bit - 7/16" Hex Shank	1.89	2.90	110	978-3	Jam Nut	0.59	0.90	
936-25	2.5mm Hex Bit - 1/4" Hex Shank	1.37	2.10		978-4	Slide Hammer	13.91	21.40	
NEW 937-A	7 Piece Hex Wrench Set	10.17	15.65		979	Ford Outbd. C-V Joint Puller & Tool	45.86	70.55	64
NEW 938-A	7 Piece Hex Metric Wrench Set	10.17	15.65		979-2	Center Rod Assembly	18.66	28.70	
NEW 939	Torx Bit & Socket Sizer	2.63	4.05		979-3	Jam Nut	0.59	0.90	
941	Puller, Two Jaw, 6" Reversible	25.32	38.95	121	979-4	Slide Hammer	12.74	19.60	
941-1	Yoke	7.18	11.05		980	Ford Outbd CV Joint Instl/Rmv. Adpt	23.56	36.25	64
941-2	Center Screw	7.80	12.00		983	Sq. Dr. Oil Filter Wr. 2" - 2-1/2"	5.33	8.20	45
941-3	Link (1)	0.49	0.75		984	Sq. Dr. Oil Ftr. Wr. 2 13/16-3 1/8	6.40	9.85	45
941-4	Lock Link & Nut (1)	0.26	0.40		985	Sq. Dr. Oil Ftr. Wr 3 7/16 - 3 3/4	6.63	10.20	45
941-5	Jaw (1)	6.11	9.40		986	Three Step Swivel Oil Filter Wrench	6.40	9.85	44
942	Puller, Two Jaw, 7" Adjustable	28.24	43.45	121	987	Three Leg Oil Filter Wrench	13.55	20.85	46
942-1	Yoke	7.18	11.05		NEW 988	Small Three Leg Oil Filter Wrench	11.25	17.30	
942-2	Center Screw	7.80	12.00		990	Heavy Duty Oil Filter Wrench	5.69	8.75	44
942-3	Link (1)	0.49	0.75		992	Truck-Tractor Oil Filter Wrench	5.82	8.95	44
942-4	Link Bolt & Nut (1)	0.26	0.40		993	Swivel Oil Filter Wr. 60-73mm	4.84	7.45	44
942-5	Jaw (1)	7.57	11.65		994	Swivel Oil Filter Wrench - Small	4.91	7.55	44
943	Puller, Two Jaw, 9" Reversible	45.66	70.25	121	995	Swivel Oil Filter Wrench - Regular	4.91	7.55	44
943-1	2 Jaw Yoke	12.25	18.85		996	Oil Pump Primer - GM	32.14	49.45	36
943-2	Center Screw	12.16	18.70		997	Ford Oil Pump Primer 5/16" Hex	21.42	32.95	36
943-3	Link (1)	1.33	2.05		998	Ford Oil Pump Primer 3/8" Hex	21.74	33.45	36
943-4	Link Bolt & Nut (1)	1.37	2.10		999	Swivel Oil Filter Wrench - Large	5.30	8.15	44

Part No.	Description	Jobber Price	Sugg List	Page No.	Part No.	Description	Jobber Price	Sugg List	Page No.
1000	Bosch C.I.S. Fuel Injection Tester	64.77	99.65	23	1210	Chrysler 9" Clutch Align Tool	2.50	3.85	60
1000-01	Gauge	9.72	14.95		1211	Chrysler 23 SPL Clutch Align TL	1.11	1.70	60
1000-02	Plastic Lens	0.81	1.25		1212	Nissan 24 SPL Clutch Align TL	1.11	1.70	60
1000-03	Gauge Hose, 25 1/2" Long (1 Used)	14.07	21.65		1213	Nissan 18 SPL Clutch Align TL	1.11	1.70	60
1000-04	Deflator	3.35	5.15		1214	FORD 4 Cyl. Clutch Align Tool	1.11	1.70	60
1000-05	Deflator, Flare Ferrule	0.16	0.25		1215	GM RWD 14 SPL Clutch Align Tool	1.11	1.70	60
1000-06	Valve	17.36	26.70		1216	22SPL Clutch Align Tool	1.11	1.70	60
1000-07	Tee Block	1.37	2.10		1217	Porsche-Volkswagen Clutch Align TL	1.11	1.70	60
1000-08	Connecting Hose, 18 1/2" Long	8.45	13.00		1218	Toyota Clutch Alignment Tool	1.11	1.70	60
1000-09	Complete Set of Adapters (6)	15.83	24.35		1219	Toyota Tercel Clutch Alignment Tool	1.11	1.70	60
1000-10	8mm "O" Ring (Thin)	0.13	0.20		1220	20SPL Clutch Align Tool	1.11	1.70	60
1000-11	10mm "O" Ring (Thin)	0.16	0.25		1221	Nissan Pulsar-Sentr Cl. Align Tool	1.11	1.70	60
1000-12	(2) 8mm Male x 12mm Male - 15/16"	2.08	3.20		1222	GM,Isuzu 24 SPL Clutch Align Tool	1.11	1.70	60
1000-13	8mm Female x 12mm Male - 5/16"	2.57	3.95		1223	Honda 19SPL Clutch Align Tool	1.11	1.70	60
1000-14	10mm Female x 12mm Male - 1 5/16"	2.89	4.45		1224	Nissan 1300cc Clutch Align Tool	1.11	1.70	60
1000-15	10mm Male x 12mm Male - 1 9/16"	2.83	4.35		1225	Horizon-Omni Clutch Align Tool	1.79	2.75	60
1000-16	8mm Male x 12mm Male - 3"	4.00	6.15		1226	Honda 21SPL Clutch Align Tool	1.11	1.70	60
1001	GM-T.B.I. Fuel Injection Tester	64.97	99.95	24	1227	Subaru 69-81 Clutch Align Tool	1.11	1.70	60
1001-01	Gauge	12.77	19.65		1228	Subaru 1800cc Clutch Align Tool	1.11	1.70	60
1001-02	Plastic Lens	0.81	1.25		1229	Chry. Impr. Mitsubishi Clutch Align TL	1.11	1.70	60
1001-03	Gauge w/3 Hoses Attached	38.06	58.55		1230	Mazda GLC FWD Clutch Align TL	1.11	1.70	60
1001-04	Gauge Hose, 10" Long (1 Used)	4.75	7.30		1231	Truck 1-1/4 X 10 SPL Clutch Align.	1.24	1.90	60
1001-05	Connecting Hose, 8" Long (2 Used)	7.48	11.50		1232	Truck 1-3/8 X 10 SPL Clutch Align.	1.24	1.90	60
1001-06	Str. St/Tubing w/Inv-Flare Nut (2)	1.20	1.85		1233	Truck 1-1/2 X 10 SPL Clutch Align.	5.98	9.20	60
1001-07	Bnt St/Tubing w/(2) Inv-Fl Nuts(2)	2.93	4.50		1234	Truck 1-3/4 X 10 SPL Clutch Align.	6.21	9.55	60
1001-08	Bent St/Tubing w/Nuts & O Rings(2)	6.08	9.35		1235	Truck 1-3/4 X 1.180 pilot Clutch	6.21	9.55	60
1001-09	10mm "O" Ring (Thin) (4 Used)	0.16	0.25		1236	Truck 2 X 10 SPL Clutch Align Tool	6.21	9.55	60
1001-10	3/8" Inverted Flare Nut (2 Used)	0.39	0.60		1237	Clutch Coupling Tool	6.89	10.60	61
1001-11	3/8" Fuel Line 3" (2 Used)	0.39	0.60		1301	Chrysler A.B.S. Pressure Switch Skt	27.63	42.50	56
1001-12	Hose Clamp (4 Used)	0.65	1.00		1302	A.B.S. Brake Pressure Switch Skt	22.91	35.25	56
1001-13	16mm x 1.5 Male Adapter	2.24	3.45		1303	A.B.S. Brake Pressure Switch Skt	39.59	60.90	56
1001-14	16mm x 1.5 Female Adapter (2 Used)	1.89	2.90		1304	Proportioning Valve Depressor/ABS	14.01	21.55	57
1001-15	Small Parts Kit	34.22	52.65		1305	A.B.S. Code Key	2.02	3.10	57
1002	AMC, Chry., Ford, Fuel Inj. Tester	35.78	55.05	24	1306	A.B.S. Code Key	2.02	3.10	57
1002-01	Gauge	8.68	13.35		1307	Brake Bleeder Adapter A.B.S.	16.22	24.95	56
1002-02	1/4" Fuel Line 2"	0.26	0.40		1308	Brake Bleeder Adapter A.B.S.	37.02	56.95	56
1002-03	5/16" Fuel Line 3"	0.55	0.85		1963	Crimping Tool with Bolt Cutter	10.56	16.25	15
1002-04	Hose Clamp	0.49	0.75		2231	Video - For Rental Board No. 6231	14.46	22.25	
1002-05	Plastic Lens	0.81	1.25		2232	Video - For Rental Board No. 6232	14.46	22.25	
1002-06	1/4 x 1/4 Female Hose Coupling	1.07	1.65		2233	Video - For Rental Board No. 6233	14.46	22.25	
1002-07	Schrader Adapter Hose - 13 3/4"	7.12	10.95		2240	Video - For Strut Cart. Remv/inst.	14.46	22.25	
1002-08	Small Schrader Adapter (Ford)	11.41	17.55		NEW 2510	Heavy Duty Grease Gun	9.72	14.95	
1002-09	O'Ring for 1002-08 Ford Adapter	0.16	0.25		NEW 2530	Deluxe Grease Gun	11.05	17.00	
1002-10	Honda Adapter Hose Assembly	8.35	12.85		NEW 2540	Pro Grease Gun	18.17	27.95	
1002-11	O'Ring for 1002-10 Honda Adapter	0.16	0.25		NEW 2550	One Hand Grease Gun	15.28	23.50	
1002-12	Valve Core	0.49	0.75		NEW 2560	Pro Air Operated Grease Gun	44.17	67.95	
1002-13	Small Parts Kit w/Manifold	10.17	15.65		NEW 2570	Mini Grease Gun	9.07	13.95	
1002-14	Manifold Only	6.24	9.60		NEW 2590	Suction Gun	8.09	12.45	
1002-15	Reducing Adapter	0.91	1.40		NEW 2610	Grease Gun Coupler	1.53	2.35	
1003	Fuel Inj. Pres Tester GM TBI	134.03	206.20	24	NEW 2615	Grease Gun Coupler - 360 Degree	11.21	17.25	
1004	Fuel Inj. Pres Tester Bosch CIS	133.09	204.75	23	NEW 2620	Grease Hose - 12 inch Poly Flex	2.37	3.65	
1005	Fuel Inj. Tester All, ex CIS/TBI	166.86	256.70	24	NEW 2630	Grease Hose - 18 inch Poly Flex	3.87	5.95	
1006	Fuel Inj. Test Master Set, All	409.11	629.40	23	NEW 2650	Standard Fitting Assortment (8)	2.37	3.65	
1007	Fuel Inj. Test GM w/Multi-Port	24.41	37.55	22	NEW 2660	Metric Fitting Assortment (8)	2.37	3.65	
1008	Fuel Inj. Test Chrysler w/TBI	31.10	47.85	22	NEW 2670	Grease Gun Injection Needle	1.85	2.85	
1009	Fuel Inj. Test FORD w/M-Port & TBI	53.04	81.60	23	NEW 2700	6 oz Pistol Oiler - Rigid Spout	4.00	6.15	
1010	MityVac Vacuum Test & Bleed Kit	31.72	48.80	22	NEW 2720	6 oz Pistol Oiler - Flex Spout	4.58	7.05	
1011	MityVac Repair Kit for No. 1010	7.25	11.15	22	NEW 2810	Barrel Pump	23.37	35.95	
NEW 1030	MityVac Pro vacuum Pump, Metal	46.64	71.75		NEW 2812	Lever Action Barrel Pump	27.92	42.95	
NEW 1040	MityVac Cooling System Test Kit	110.47	169.95		NEW 2855	Rotary Barrel Pump	42.87	65.95	
1101	1/4-20 UNC Kits	15.02	23.10	115					
1102	5/16-18 UNC Kits	15.02	23.10	115					
1103	3/8-16 UNC Kits	15.02	23.10	115					
1104	7/16-14 UNC Kits	16.06	24.70	115					
1105	1/4-28 UNF Kits	20.05	30.85	115					
1106	5/16-24 UNF Kits	20.05	30.85	115					
1107	3/8-24 UNF Kits	20.05	30.85	115					
1108	6 x 1 Metric Kits	18.10	27.85	115					
1109	8 x 1.25 Metric Kits	18.10	27.85	115					
1110	10 x 1.5 Metric Kits	19.99	30.75	115					
1111	12 x 1.75 Metric Kits	24.18	37.20	115					
1112	14 x 1.25 Metric Kits	27.50	42.30	115					
1113	1/4-20 UNC Inserts	3.02	4.65	115					
1114	5/16-18 UNC Inserts	3.87	5.95	115					
1115	3/8-16 UNC Inserts	5.17	7.95	115					
1116	7/16-14 UNC Inserts	2.93	4.50	115					
1117	1/4-28 UNF Inserts	3.02	4.65	115					
1118	5/16-24 UNF Inserts	3.84	5.90	115					
1119	3/8-24 UNF Inserts	5.14	7.90	115					
1120	6 x 1 Metric Inserts	3.02	4.65	115					
1121	8 x 1.25 Metric Inserts	3.84	5.90	115					
1122	10 x 1.5 Metric Inserts	5.14	7.90	115					
1123	12 x 1.75 Metric Inserts	3.90	6.00	115					
1124	14 x 1.25 Metric Inserts	6.21	9.55	115					
1199	33 Clutch Align Tls. On Chain	34.81	53.55	60					
1200	GM Sprint Clutch Alignment Tool	1.07	1.65	60					
1201	GM, Toyota Clutch Align Tool	1.07	1.65	60					
1202	GM,AMC, JEEP Clutch Align Tool	1.11	1.70	60					
1203	GM,AMC, JEEP Clutch Align Tool	1.11	1.70	60					
1204	GM Car/Truck 26SPL Clutch Align. TL	1.11	1.70	60					
1205	Bronco/Aerostar Clutch Align TL	1.11	1.70	60					
1206	FORD-MERC 6-8 Cyl. Clutch Align. TL	1.11	1.70	60					
1207	FORD-MERC FWD Clutch Align. Tool	1.11	1.70	60					
1208	FORD-MERC 4 Cyl. Clutch Align. Tool	1.11	1.70	60					
1209	Chrysler 4 Cyl. FWD Clutch Align TL	1.11	1.70	60					

DISPLAYS & MERCHANDISERS

Merchandise Number	Description	Jobber Price
3100*	Rotary Floor Display Panels 1-6	1454.99
3113*	Rotary Floor Display Panels 1-3	681.34
3114*	Rotary Floor Display Panels 1-4	918.47
3115*	Rotary Floor Display Panels 1-5	1175.38
3100-11	Pegboard Wall Display	1454.99
4100*	Wall Mount Display, Panels 1-6	1454.99
4111*	Wall Mount Display, Panel 1	234.96
4112*	Wall Mount Display, Panel 1-2	453.58
4113*	Wall Mount Display, Panel 1-3	681.34
4114*	Wall Mount Display, Panel 1-4	918.47
4115*	Wall Mount Display, Panel 1-5	1175.38
5040*	4-Ft Waterfall Wall Mount Display	605.74
5042*	4-Ft Waterfall Freestanding Display	605.74
5080*	8-Ft Waterfall Wall Mount Display	1246.74
5082*	8-Ft Waterfall Freestanding Display	1246.74
6207	Puller Merchandiser	315.87
6208	Puller Merchandiser	397.22
6217	Bit Merchandiser - 65 Tools	149.16
6218	TORX Driver Merchandiser	147.01
6219	Locknut Wrench Merchandiser, 24 Tools	449.05
6220	Locknut Wrench Merchandiser, 17 Tools	310.65
6221	Clutch Aligning Tool Merchandiser, 37 Part Numbers	165.32
6222	Cup-Type Oil Filter Wrench Display, 12 Part Numbers	120.76
825-12	1 Card of 12 Skinpacked No. 825	18.36
824	100 Pc. Merchandiser No. 825	134.26
6231	Rent/Buy Merchandiser & Video	408.03
6232	Rent/Buy Merchandiser & Video	229.01
6233	Rent/Buy Merchandiser & Video	404.61
6234	Rent/Buy Merchandiser	361.44

*Includes cost of merchandiser passed on to the jobber, offset with free tools** at Jobber cost. For a complete description of Cal-Van Tools merchandisers and contents, please refer to Form No. 94-1.

**Free Tools (16)
3100 / 4100 Series Displays
Includes one each of the following Part Nos.:

Panel 1	Panel 2	Panel 3
55	22	67-01
67	37	187
189	295	351
190	362	627
269	710	
350		
814		

**Free Tools (14)
5040 / 5042 4-ft Waterfall Display
Includes one (1) each of the following Part Nos.:

22	189	825
37	190	986
55	295	994
67	350	995
187	710	

**Free Tools (28)
5080 / 5082 8-ft Waterfall Display
Includes two (2) each of the following Part Nos.:

22	189	825
37	190	986
55	295	994
67	350	995
187	710	

Prices and descriptions were checked at the time of printing and are believed to be correct. Cal-Van Tools reserves the right to change prices and descriptions at any time.

NOTES

NOTES

NOTES


NOTES

NOTES


CAL-VAN TOOLS

DEDICATED TO MANUFACTURING, QUALITY, SERVICE


For over 50 years, Cal-Van Tools has been recognized among professional mechanics as a leading manufacturer of high quality, American made automotive specialty tools.



Cal-Van Tool's modern manufacturing facility in Fremont, Ohio is fully equipped to produce durable, high quality tools. It houses state of the art CNC (computer numeric control) machines which produce precision dies and other tooling needed to manufacture specialty tools of the highest standards. Precision machining coupled with rigid quality control standards are an integral part of delivering top of the line specialty tools.




Cal-Van is committed to innovation. Continual improvements in manufacturing techniques and equipment, enables Cal-Van to maintain the highest efficiency levels possible.



Cal-Van is continually developing and introducing new tools which meet the challenging repair needs faced by today's professional and do-it-yourself mechanics.

Prompt, individual and professional service, separates Cal-Van from it's competitors. From computerized order entry, to high order fill rates (average over 95%), to rapid order turn around (within three to five working days) — Cal-Van leads the industry in customer care.



Cal-Van stands behind its customers and products with a long standing reputation and full tool life warranty, and remains committed to providing high quality, American made specialty tools at competitive prices.

